Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Testing Field	Materials/ Products Tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (P) / Client-site (S)
Chemical	Water	Aluminium	APHA 3030, 24th Ed APHA 3120B, 24th Ed APHA 3125 , 24th Ed EPA 3010A-92 USEPA 200.7-94 Documented in-house method EL-M-OP-CH-DXB-MD106A Iss4, 31Mar26 EL-M-OP-CH-DXB-MD106B Iss3, Jan25 EL-M-OP-CH-DXB-MD106C Iss4, 31Mar26 EL-M-OP-CH-DXB-MD106D Iss4, Jan25	P

Uncontrolled if printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Øµ Ø¯Ø±Ø¬Ø© Ø¥Ù„ÙƒØªØ±Ù†ÙŠØ© ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ø¥Ù„Ù‰ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹. Ø£Ù‰ ØªØºÙŠÙŠØ± Ø£Ùˆ ØªØ¹Ø¯ÙŠÙ„ ÙŠØ¬Ø¹Ù„ Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ØºÙŠØ± ØµØ§Ù„ØØ©.

Ù‡Ø§Ù 600565554 TEL Øµ.Ø¨. 48666 P.O.BOX |Ø£Ø¨Ùˆ Ø¸Ø¨Ùˆ Ø¯Ø¨Ùˆ Øª Ø§Ù„Ø¹Ø±Ø¨ÙŠØ© Ø§Ù„Ù…ØªØØ¯Ø©
Abu Dhabi, Dubai, United Arab Emirates
600565554 www.moiat.gov.ae @MOIAT

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Water	Antimony	APHA 3030, 24th Ed APHA 3120B, 24th Ed APHA 3125 , 24th Ed EPA 3010A-92 USEPA 200.7-94 Documented in-house method EL-M-OP-CH-DXB-MD106A Iss4, 31Mar26 EL-M-OP-CH-DXB-MD106B Iss3, Jan25 EL-M-OP-CH-DXB-MD106C Iss4, 31Mar26 EL-M-OP-CH-DXB-MD106D Iss4, Jan25	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

MOIAT

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ØµØ¯Ø±Øª Ø¥Ù„ÙƒØªØ±ÙˆÙ†ÙŠØ§Ù‹ ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ù„Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹. Ø£ÙŠ ØªØºÙŠÙŠØ± Ù‚Ø¯ Ø£Ùˆ ØªØºÙŠÙŠØ± ÙŠÙŠ Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Ø³ÙŠÙƒÙˆÙ† Ø¨Ø§Ø·Ù„Ø§Ù‹.

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Water	Arsenic	APHA 3030, 24th Ed APHA 3120B, 24th Ed APHA 3125 , 24th Ed EPA 3010A-92 USEPA 200.7-94 Documented in-house method EL-M-OP-CH-DXB-MD106A Iss4, 31Mar26 EL-M-OP-CH-DXB-MD106B Iss3, Jan25 EL-M-OP-CH-DXB-MD106C Iss4, 31Mar26 EL-M-OP-CH-DXB-MD106D Iss4, Jan25	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

MOIAT

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ØµØ¯Ø±Øª Ø¥Ù„ÙƒØªØ±ÙˆÙ†ÙŠØ§Ù‹ ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ù„Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹. Ø£ÙŠ ØªØºÙŠÙŠØ± Ù‚Ø¯ Ø£Ùˆ ØªØºÙŠÙŠØ± Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ÙŠÙ„ØºÙŠ ØµÙ„Ø§ØÙŠØªÙ‡Ø§.

Ù‡Ø§Ù 600565554 TEL Øµ.Ø¨. 48666 P.O.BOX |Ø£Ø¨Ùˆ Ø¸Ø¨ÙŠØŒ Ø¯Ø¨ÙŠØŒ Ø§Ù„Ø¥Ù…Ø§Ø±Ø§Øª Ø§Ù„Ø¹Ø±Ø¨ÙŠØ© Ø§Ù„Ù…ØªØØ¯Ø©
Abu Dhabi, Dubai, United Arab Emirates
600565554 www.moiat.gov.ae @MOIAT

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Water	Barium	APHA 3030, 24th Ed APHA 3120B, 24th Ed APHA 3125 , 24th Ed EPA 3010A-92 USEPA 200.7-94 Documented in-house method EL-M-OP-CH-DXB-MD106A Iss4, 31Mar26 EL-M-OP-CH-DXB-MD106B Iss3, Jan25 EL-M-OP-CH-DXB-MD106C Iss4, 31Mar26 EL-M-OP-CH-DXB-MD106D Iss4, Jan25	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Øµ Ø¯Ø±Ø¬Ø§Ø±Ø§Ø±Ø§Ø§Ø§

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Water	Beryllium	APHA 3030, 24th Ed APHA 3120B, 24th Ed APHA 3125 , 24th Ed EPA 3010A-92 USEPA 200.7-94 Documented in-house method EL-M-OP-CH-DXB-MD106A Iss4, 31Mar26 EL-M-OP-CH-DXB-MD106B Iss3, Jan25 EL-M-OP-CH-DXB-MD106C Iss4, 31Mar26 EL-M-OP-CH-DXB-MD106D Iss4, Jan25	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Øµ Ø¯Ø±Ø¬Ø§Ø±Ø§Ø±Ø§Ø¯Ø§ Ø¥Ù„Ø§ Ø¨Ø§Ù„Ø®ØªÙ… Ø£Ùˆ Ø¨Ø§Ù„ØªÙˆÙ‚ÙŠØ¹ Ø£Ùˆ Ø¨Ø¹Ø¯ Ø£ÙŠ ØªØ¹Ø¯ÙŠÙ„ Ø£Ùˆ ØªØºÙŠÙŠØ± Ø¹Ù„Ù‰ Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Ø³ÙŠÙƒÙˆÙ† Ù‡Ø°Ø§ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ØºÙŠØ± ØµØ§Ù„ØØ©.

Ù‡Ø§Ù 600565554 TEL Øµ.Ø¨. 48666 P.O.BOX |Ø£Ø¨Ùˆ Ø¸Ø¨Ùˆ Ø¯Ø¨Ùˆ Ø§Ù„Ø¹Ø§Ø¯Ø§ Ø§Ù„Ø¹Ø±Ø¨Ø© Ø§Ù„Ø¥Ù…Ø§Ø±Ø§Øª Ø§Ù„Ø¹Ø±Ø¨ÙŠØ© Ø§Ù„Ù…ØªØØ¯Ø©
Abu Dhabi, Dubai, United Arab Emirates
600565554 www.moiat.gov.ae @MOIAT

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Water	Boron	APHA 3030, 24th Ed APHA 3120B, 24th Ed APHA 3125 , 24th Ed EPA 3010A-92 USEPA 200.7-94 Documented in-house method EL-M-OP-CH-DXB-MD106A Iss4, 31Mar26 EL-M-OP-CH-DXB-MD106B Iss3, Jan25 EL-M-OP-CH-DXB-MD106C Iss4, 31Mar26 EL-M-OP-CH-DXB-MD106D Iss4, Jan25	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ØµØ¯Ø±Ø¨Ø¹Ø¯ Ø¥Ù„ÙƒØªØ±ÙˆÙ†ÙŠØ§Ù‹ ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ø¥Ù„Ù‰ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹. Ø£ÙŠ ØªØºÙŠÙŠØ± ÙŠÙŠ Ù‡Ø°Ù‡ Ø§Ø¹Ù„Ø§Ù† Ø§Ù„Ù„ØºØ§Ø¡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø©.

Ù‡Ø§Ù 600565554 TEL Øµ.Ø¨. 48666 P.O.BOX |Ø£Ø¨Ùˆ Ø¸Ø¨Ùˆ Ø¯Ø¨Ùˆ Ø§Ù„Ø¹Ø±Ø¨ Ø§Ù„Ø¥Ù…Ø§Ø¨Ø§Øª Ø§Ù„Ø¹Ø±Ø¨ÙŠØ©
Abu Dhabi, Dubai, United Arab Emirates
600565554 www.moiat.gov.ae @MOIAT

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Water	Cadmium	APHA 3030, 24th Ed APHA 3120B, 24th Ed APHA 3125 , 24th Ed EPA 3010A-92 USEPA 200.7-94 Documented in-house method EL-M-OP-CH-DXB-MD106A Iss4, 31Mar26 EL-M-OP-CH-DXB-MD106B Iss3, Jan25 EL-M-OP-CH-DXB-MD106C Iss4, 31Mar26 EL-M-OP-CH-DXB-MD106D Iss4, Jan25	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

MOIAT

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ØµØ¯Ø±Ø© Ø¥Ù„ÙƒØªØ±ÙˆÙ†ÙŠØ§Ù‹ ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ù„Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹. Ø£ÙŠ ØªØºÙŠÙŠØ± ÙŠÙ‡ Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Ø§Ù„Ù„Ø§Ø²Ù… ÙŠÙ„ØºÙŠÙ‡Ø§.

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Water	Calcium	APHA 3030, 24th Ed APHA 3120B, 24th Ed APHA 3125 , 24th Ed EPA 3010A-92 USEPA 200.7-94 Documented in-house method EL-M-OP-CH-DXB-MD106A Iss4, 31Mar26 EL-M-OP-CH-DXB-MD106B Iss3, Jan25 EL-M-OP-CH-DXB-MD106C Iss4, 31Mar26 EL-M-OP-CH-DXB-MD106D Iss4, Jan25	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ØµØ¯Ø±Ø© Ø¥Ù„ÙƒØªØ±ÙˆÙ†ÙŠØ§Ù‹ ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ù„Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹. Ø£ÙŠ ØªØºÙŠÙŠØ± Ù‚Ø¯ Ø£Ùˆ ØªØºÙŠÙŠØ± Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ÙŠÙ„ØºÙŠ ØµÙ„Ø§ØÙŠØªÙ‡Ø§.

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Water	Cobalt	APHA 3030, 24th Ed APHA 3120B, 24th Ed APHA 3125 , 24th Ed EPA 3010A-92 USEPA 200.7-94 Documented in-house method EL-M-OP-CH-DXB-MD106A Iss4, 31Mar26 EL-M-OP-CH-DXB-MD106B Iss3, Jan25 EL-M-OP-CH-DXB-MD106C Iss4, 31Mar26 EL-M-OP-CH-DXB-MD106D Iss4, Jan25	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

MOIAT

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ØµØ¯Ø±Øª Ø¥Ù„ÙƒØªØ±ÙˆÙ†ÙŠØ§Ù‹ ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ù„Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹. Ø£ÙŠ ØªØºÙŠÙŠØ± Ù‚Ø¯ Ø£Ùˆ ØªØºÙŠÙŠØ± ÙŠÙŠ Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Ø³ÙŠÙ„ØºÙ‰ Ù‡Ø°Ø§ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø©.

Ù‡Ø§Ù 600565554 TEL Øµ.Ø¨. 48666 P.O.BOX |Ø£Ø¨Ù‡Ø¸Ø¨ÙŠØŒ Ø¯Ø¨ÙŠØŒ Ø§Ù„Ø¥Ù…Ø§Ø±Ø§Øª Ø§Ù„Ø¹Ø±Ø¨ÙŠØ© Ø§Ù„Ù…ØªØØ¯Ø©
Abu Dhabi, Dubai, United Arab Emirates
600565554 www.moiat.gov.ae @MOIAT

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Water	Copper	APHA 3030, 24th Ed APHA 3120B, 24th Ed APHA 3125 , 24th Ed EPA 3010A-92 USEPA 200.7-94 Documented in-house method EL-M-OP-CH-DXB-MD106A Iss4, 31Mar26 EL-M-OP-CH-DXB-MD106B Iss3, Jan25 EL-M-OP-CH-DXB-MD106C Iss4, 31Mar26 EL-M-OP-CH-DXB-MD106D Iss4, Jan25	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

MOIAT

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Øµ Ø¯Ø±Ø¬Ø© Ø¥Ù„ÙƒØªØ±Ù†ÙŠØ© ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ø¥Ù„Ù‰ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹ Ø£Ùˆ ØªØºÙŠÙŠØ± Ù‚Ø¯ Ø£Ùˆ ØªØ¹Ø¯ÙŠÙ„ Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Ø¥Ù„Ù‰ Ø¹Ø¯Ù… ØµÙ„Ø§ØÙŠØªÙ‡Ø§.

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Water	Chromium	APHA 3030, 24th Ed APHA 3120B, 24th Ed APHA 3125 , 24th Ed EPA 3010A-92 USEPA 200.7-94 Documented in-house method EL-M-OP-CH-DXB-MD106A Iss4, 31Mar26 EL-M-OP-CH-DXB-MD106B Iss3, Jan25 EL-M-OP-CH-DXB-MD106C Iss4, 31Mar26 EL-M-OP-CH-DXB-MD106D Iss4, Jan25	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ØµØ¯Ø±Ø© Ø¥Ù„ÙƒØªØ±Ù†ÙŠØ§Ù‹ ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ù„Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹. Ø£ÙŠ ØªØºÙŠÙŠØ± Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Ø³ÙŠØ¤Ø¯ÙŠ Ø¥Ù„Ù‰ Ø¥Ù„ØºØ§Ø¦Ù‡Ø§.

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Water	Iron	APHA 3030, 24th Ed APHA 3120B, 24th Ed APHA 3125 , 24th Ed EPA 3010A-92 USEPA 200.7-94 Documented in-house method EL-M-OP-CH-DXB-MD106A Iss4, 31Mar26 EL-M-OP-CH-DXB-MD106B Iss3, Jan25 EL-M-OP-CH-DXB-MD106C Iss4, 31Mar26 EL-M-OP-CH-DXB-MD106D Iss4, Jan25	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Øµ Ø¯Ø±Ø¬Ø© Ø¥Ù„ÙƒØªØ±Ù†ÙŠØ© ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ø¥Ù„Ù‰ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹. Ø£Ù‰ ØªØºÙŠÙŠØ± Ù‚Ø¯ Ø£Ù‰ ØªØºÙŠÙŠØ± ÙŠÙŠ Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Ø³ÙŠÙ„ØºÙ‰ Ù‡Ø°Ø§.

Ù‡Ø§Ù 600565554 TEL Øµ.Ø¨. 48666 P.O.BOX |Ø£Ø¨Ùˆ Ø¸Ø¨Ùˆ Ø¯Ø¨Ùˆ Ø§Ù„Ø¥Ù…Ø§Ø±Ø§Øª Ø§Ù„Ø¹Ø±Ø¨ÙŠØ© Ø§Ù„Ù…ØªØØ¯Ø©
Abu Dhabi, Dubai, United Arab Emirates
600565554 www.moiat.gov.ae @MOIAT

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Water	Lead	APHA 3030, 24th Ed APHA 3120B, 24th Ed APHA 3125 , 24th Ed EPA 3010A-92 USEPA 200.7-94 Documented in-house method EL-M-OP-CH-DXB-MD106A Iss4, 31Mar26 EL-M-OP-CH-DXB-MD106B Iss3, Jan25 EL-M-OP-CH-DXB-MD106C Iss4, 31Mar26 EL-M-OP-CH-DXB-MD106D Iss4, Jan25	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Øµ Ø¯Ø±Ø¬Ø©Ø±Ø³Ù…ÙŠØ© ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ø¥Ù„Ù‰ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹ Ø£Ùˆ ØªØºÙŠÙŠØ± Ù‚Ø¯ Ø£Ùˆ Ø¥Ø°Ø§ Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Ù„Ù„Ø§Ø³ØªØ®Ø¯Ø§Ù… Ø§Ù„Ø¹Ø§Ù….

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Water	Lithium	APHA 3030, 24th Ed APHA 3120B, 24th Ed APHA 3125 , 24th Ed EPA 3010A-92 USEPA 200.7-94 Documented in-house method EL-M-OP-CH-DXB-MD106A Iss4, 31Mar26 EL-M-OP-CH-DXB-MD106B Iss3, Jan25 EL-M-OP-CH-DXB-MD106C Iss4, 31Mar26 EL-M-OP-CH-DXB-MD106D Iss4, Jan25	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

MOIAT

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Øµ Ø¯Ø±Ø¬Ø© Ø¥Ù„ÙƒØªØ±Ù†ÙŠØ© ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ø¥Ù„Ù‰ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹. Ø£Ù‰ ØªØ¹Ø¯ÙŠÙ„ ÙŠØ¬Ø¹Ù„ Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ØºÙŠØ± ØµØ§Ù„ØØ©.

Ù‡Ø§Ù 600565554 TEL Øµ.Ø¨. 48666 P.O.BOX |Ø£Ø¨Ùˆ Ø¸Ø¨Ùˆ Ø¯Ø¨Ùˆ Ø§Ù„Ø¥Ù…Ø§Ø±Ø§Øª Ø§Ù„Ø¹Ø±Ø¨ÙŠØ© Ø§Ù„Ù…ØªØØ¯Ø©
Abu Dhabi, Dubai, United Arab Emirates
600565554 www.moiat.gov.ae @MOIAT

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Water	Magnesium	APHA 3030, 24th Ed APHA 3120B, 24th Ed APHA 3125 , 24th Ed EPA 3010A-92 USEPA 200.7-94 Documented in-house method EL-M-OP-CH-DXB-MD106A Iss4, 31Mar26 EL-M-OP-CH-DXB-MD106B Iss3, Jan25 EL-M-OP-CH-DXB-MD106C Iss4, 31Mar26 EL-M-OP-CH-DXB-MD106D Iss4, Jan25	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Øµ Ø¯Ø±Ø¬Ø© Ø¥Ù„ÙƒØªØ±Ù†ÙŠØ© ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ø¥Ù„Ù‰ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹. Ø£Ù‰ ØªØºÙŠÙŠØ± Ù‚Ø¯ Ø£Ù‰ ØªØºÙŠÙŠØ± ÙŠÙŠ Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Ø³ÙŠØ¤Ø¯Ù‰ Ø¥Ù„Ù‰ Ø¥Ù„ØºØ§Ø¡Ù‡Ø§.

Ù‡Ø§Ù 600565554 TEL Øµ.Ø¨. 48666 P.O.BOX |Ø£Ø¨Ù‘Ø¸Ø¨ÙŠØŒ Ø¯Ø¨ÙŠØŒ Ø§Ù„Ø¥Ù…Ø§Ø±Ø§Øª Ø§Ù„Ø¹Ø±Ø¨ÙŠØ© Ø§Ù„Ù…ØªØØ¯Ø©
Abu Dhabi, Dubai, United Arab Emirates
600565554 www.moiat.gov.ae @MOIAT

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Water	Manganese	APHA 3030, 24th Ed APHA 3120B, 24th Ed APHA 3125 , 24th Ed EPA 3010A-92 USEPA 200.7-94 Documented in-house method EL-M-OP-CH-DXB-MD106A Iss4, 31Mar26 EL-M-OP-CH-DXB-MD106B Iss3, Jan25 EL-M-OP-CH-DXB-MD106C Iss4, 31Mar26 EL-M-OP-CH-DXB-MD106D Iss4, Jan25	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

MOIAT

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ØµØ¯Ø±Øª Ø¥Ù„ÙƒØªØ±ÙˆÙ†ÙŠØ§Ù‹ ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ù„Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹. Ø£ÙŠ ØªØºÙŠÙŠØ± Ù‚Ø¯ Ø£Ùˆ ØªØºÙŠÙŠØ± ÙŠÙŠ Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Ø³ÙŠÙ„ØºÙ‰ Ù‡Ø°Ø§.

Ù‡Ø§Ù 600565554 TEL Øµ.Ø¨. 48666 P.O.BOX |Ø£Ø¨Ùˆ Ø¸Ø¨Ùˆ Ø¯Ø¨Ùˆ Ø§Ù„Ø¹Ø§Ø¡ Ø§Ù„Ø¹Ø±Ø¨ÙŠØ© Ø§Ù„Ù…ØªØØ¯Ø©
Abu Dhabi, Dubai, United Arab Emirates
600565554 www.moiat.gov.ae @MOIAT

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Water	Molybdenum	APHA 3030, 24th Ed APHA 3120B, 24th Ed APHA 3125 , 24th Ed EPA 3010A-92 USEPA 200.7-94 Documented in-house method EL-M-OP-CH-DXB-MD106A Iss4, 31Mar26 EL-M-OP-CH-DXB-MD106B Iss3, Jan25 EL-M-OP-CH-DXB-MD106C Iss4, 31Mar26 EL-M-OP-CH-DXB-MD106D Iss4, Jan25	P
Chemical	Water	Mercury	APHA 3030, 24th Ed APHA 3125 , 24th Ed EPA 3010A-92 Documented in-house method EL-M-OP-CH-DXB-MD106D Iss4, Jan25	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Øµ Ø¯Ø±Ø¬Ø©Ø±Ø³Ù…ÙŠØ© ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ø¥Ù„Ù‰ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹. Ø£Ù‰ ØªØºÙŠÙŠØ± ÙŠØ¬Ø¹Ù„ Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ØºÙŠØ± ØµØ§Ù„ØØ©.

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Water	Nickel	APHA 3030, 24th Ed APHA 3120B, 24th Ed APHA 3125 , 24th Ed EPA 3010A-92 USEPA 200.7-94 Documented in-house method EL-M-OP-CH-DXB-MD106A Iss4, 31Mar26 EL-M-OP-CH-DXB-MD106B Iss3, Jan25 EL-M-OP-CH-DXB-MD106C Iss4, 31Mar26 EL-M-OP-CH-DXB-MD106D Iss4, Jan25	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Øµ Ø¯Ø±Ø¬Ø© Ø¥Ù„ÙƒØªØ±Ù†ÙŠØ© ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ø¥Ù„Ù‰ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹. Ø£Ù‰ ØªØºÙŠÙŠØ± Ø£Ùˆ Ø¥Ø²Ø§Ù„Ø© ÙŠÙ„ØºÙŠ Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø©.

Ù‡Ø§Ø¨Ù 600565554 TEL Øµ.Ø¨. 48666 P.O.BOX |Ø£Ø¨Ù‘Ø¸Ø¨ÙŠØŒ Ø¯Ø¨ÙŠØŒ Ø§Ù„Ø¥Ù…Ø§Ø±Ø§Øª Ø§Ù„Ø¹Ø±Ø¨ÙŠØ© Ø§Ù„Ù…ØªØØ¯Ø©
Abu Dhabi, Dubai, United Arab Emirates
600565554 www.moiat.gov.ae @MOIAT

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Water	Phosphorus	APHA 3030, 24th Ed APHA 3120B, 24th Ed APHA 3125 , 24th Ed EPA 3010A-92 USEPA 200.7-94 Documented in-house method EL-M-OP-CH-DXB-MD106A Iss4, 31Mar26 EL-M-OP-CH-DXB-MD106B Iss3, Jan25 EL-M-OP-CH-DXB-MD106C Iss4, 31Mar26 EL-M-OP-CH-DXB-MD106D Iss4, Jan25	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Øµ Ø¯Ø±Ø¬Ø©Ø±Ø³Ù…ÙŠØ© ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ø¥Ù„Ù‰ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹ Ø£Ùˆ ØªØºÙŠÙŠØ± Ù‡Ø°Ø· Ø£Ùˆ ØªØºÙŠÙŠØ± Ù‡Ø° Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Ø§Ù„Ø§Ù„ÙƒØªØ±ÙˆÙ†ÙŠØ© Ø¨Ø§Ø·Ù„Ø© Ù„Ø§ØºÙŠØ©.

Ù‡Ø§Ù 600565554 TEL Øµ.Ø¨. 48666 P.O.BOX |Ø£Ø¨Ù‡Ø¸Ø¨ÙŠØŒ Ø¯Ø¨ÙŠØŒ Ø§Ù„Ø¥Ù…Ø§Ø±Ø§Øª Ø§Ù„Ø¹Ø±Ø¨ÙŠØ© Ø§Ù„Ù…ØªØØ¯Ø©
Abu Dhabi, Dubai, United Arab Emirates
600565554 www.moiat.gov.ae @MOIAT

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Water	Potassium	APHA 3030, 24th Ed APHA 3120B, 24th Ed APHA 3125 , 24th Ed EPA 3010A-92 USEPA 200.7-94 Documented in-house method EL-M-OP-CH-DXB-MD106A Iss4, 31Mar26 EL-M-OP-CH-DXB-MD106B Iss3, Jan25 EL-M-OP-CH-DXB-MD106C Iss4, 31Mar26 EL-M-OP-CH-DXB-MD106D Iss4, Jan25	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

MOIAT

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ØµØ¯Ø±Øª Ø¥Ù„ÙƒØªØ±ÙˆÙ†ÙŠØ§Ù‹ ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ù„Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹. Ø£ÙŠ ØªØºÙŠÙŠØ± Ù‚Ø¯ Ø£Ùˆ ØªØºÙŠÙŠØ± ÙŠÙŠ Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Ø³ÙŠÙ„ØºÙ‰ Ù‡Ø°Ø§ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø©.

Ù‡Ø§Ù 600565554 TEL Øµ.Ø¨. 48666 P.O.BOX |Ø£Ø¨Ùˆ Ø¸Ø¨Ùˆ Ø¯Ø¨Ùˆ Ø§Ù„Ø¥Ø§Ø±Ø§ Ø§Ù„Ø¹Ø±Ø¨ÙŠØ© Ø§Ù„Ù…ØªØØ¯Ø©
Abu Dhabi, Dubai, United Arab Emirates
600565554 www.moiat.gov.ae @MOIAT

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Water	Selenium	APHA 3030, 24th Ed APHA 3120B, 24th Ed APHA 3125 , 24th Ed EPA 3010A-92 USEPA 200.7-94 Documented in-house method EL-M-OP-CH-DXB-MD106A Iss4, 31Mar26 EL-M-OP-CH-DXB-MD106B Iss3, Jan25 EL-M-OP-CH-DXB-MD106C Iss4, 31Mar26 EL-M-OP-CH-DXB-MD106D Iss4, Jan25	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Øµ Ø¯Ø±Ø¬Ø©Ø±Ø³Ù…ÙŠØ© ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ø¥Ù„Ù‰ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹ Ø£Ùˆ ØªØºÙŠÙŠØ± Ù‚Ø¯ Ø£Ùˆ Ø¥Ø°Ø§ Ø¹Ø¯Ù„Øª Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Ø§Ù„Ø§Ù„ÙƒØªØ±ÙˆÙ†ÙŠØ© Ø¨Ø£ÙŠ Ø·Ø±ÙŠÙ‚Ø© Ù…Ù† Ø§Ù„Ø·Ø±Ù‚ Ø³ÙˆÙ Ø¥Ù„ØºØ§Ø¡ Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø©.

ENAS Program Manager:

Ù‡Ø§Ø¨Ù 600565554 TEL Øµ.Ø¨. 48666 P.O.BOX |Ø£Ø¨Ù‡Ø¸Ø¨Ùˆ Ø¯Ø¨Ùˆ Ø§Ù„Ø¥Ø§Ø±Ø§ Ø§Ù„Ø¹Ø±Ø¨ÙŠØ© Ø§Ù„Ù…ØªØØ¯Ø©
Abu Dhabi, Dubai, United Arab Emirates
600565554 www.moiat.gov.ae @MOIAT

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Water	Silicon	APHA 3030, 24th Ed APHA 3120B, 24th Ed APHA 3125 , 24th Ed EPA 3010A-92 USEPA 200.7-94 Documented in-house method EL-M-OP-CH-DXB-MD106A Iss4, 31Mar26 EL-M-OP-CH-DXB-MD106B Iss3, Jan25 EL-M-OP-CH-DXB-MD106C Iss4, 31Mar26 EL-M-OP-CH-DXB-MD106D Iss4, Jan25	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Øµ Ø¯Ø±Ø¬Ø§Ø±Ø§Ø±Ø§Ø§Ø§

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Water	Sodium	APHA 3030, 24th Ed APHA 3120B, 24th Ed APHA 3125 , 24th Ed EPA 3010A-92 USEPA 200.7-94 Documented in-house method EL-M-OP-CH-DXB-MD106A Iss4, 31Mar26 EL-M-OP-CH-DXB-MD106B Iss3, Jan25 EL-M-OP-CH-DXB-MD106C Iss4, 31Mar26 EL-M-OP-CH-DXB-MD106D Iss4, Jan25	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

MOIAT

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Øµ Ø¯Ø±Ø¬Ø© Ø¥Ù„ÙƒØªØ±Ù†ÙŠØ© ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ø¥Ù„Ù‰ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹. Ø£ÙŠ ØªØºÙŠÙŠØ± ÙŠÙŠ Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Ø³ÙŠÙ„ØºÙŠ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø©.

Ù‡Ø§Ù 600565554 TEL Øµ.Ø¨. 48666 P.O.BOX |Ø£Ø¨Ùˆ Ø¸Ø¨Ùˆ Ø¯Ø¨Ùˆ Ø§Ù„Ø¥Ø§Ø±Ø§Øª Ø§Ù„Ø¹Ø±Ø¨ÙŠØ© Ø§Ù„Ù…ØªØØ¯Ø©
Abu Dhabi, Dubai, United Arab Emirates
600565554 www.moiat.gov.ae @MOIAT

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Water	Silver	APHA 3030, 24th Ed APHA 3120B, 24th Ed APHA 3125 , 24th Ed EPA 3010A-92 USEPA 200.7-94 Documented in-house method EL-M-OP-CH-DXB-MD106A Iss4, 31Mar26 EL-M-OP-CH-DXB-MD106B Iss3, Jan25 EL-M-OP-CH-DXB-MD106C Iss4, 31Mar26 EL-M-OP-CH-DXB-MD106D Iss4, Jan25	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Øµ Ø¯Ø±Ø¬Ø©Ø±Ø³Ù…ÙŠØ© ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ø¥Ù„Ù‰ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹ Ø£Ùˆ ØªØºÙŠÙŠØ± Ù‚Ø¯ Ø£Ùˆ Ø¥Ø°Ø§ Ø§Ø°Ø§ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Ø§Ù„Ø§Ù„ÙƒØªØ±ÙˆÙ†ÙŠØ© Ø§Ù„Ø§ Ø¨Ø¹Ø¯ Ø§Ù„ØªØ£ÙƒØ¯ Ù…Ù† Ø§Ù„Ø¨ÙŠØ§Ù†Ø§Øª Ø§Ù„Ø§Ù„ÙƒØªØ±ÙˆÙ†ÙŠØ© Ø§Ù„Ø§ Ø¨Ø¹Ø¯

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Water	Strontium	APHA 3030, 24th Ed APHA 3120B, 24th Ed APHA 3125 , 24th Ed EPA 3010A-92 USEPA 200.7-94 Documented in-house method EL-M-OP-CH-DXB-MD106A Iss4, 31Mar26 EL-M-OP-CH-DXB-MD106B Iss3, Jan25 EL-M-OP-CH-DXB-MD106C Iss4, 31Mar26 EL-M-OP-CH-DXB-MD106D Iss4, Jan25	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ØµØ¯Ø±Ø© Ø¥Ù„ÙƒØªØ±Ù†ÙŠØ§Ù‹ ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ù„Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹. Ø£Ù‰ ØªØºÙŠÙŠØ± ÙŠØ¬Ø¹Ù„ Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ØºÙŠØ± ØµØ§Ù„ØØ©.

Ù‡Ø§Ù 600565554 TEL Øµ.Ø¨. 48666 P.O.BOX |Ø£Ø¨Ùˆ Ø¸Ø¨ÙŠØŒ Ø¯Ø¨ÙŠØŒ Ø§Ù„Ø¥Ù…Ø§Ø±Ø§Øª Ø§Ù„Ø¹Ø±Ø¨ÙŠØ© Ø§Ù„Ù…ØªØØ¯Ø©
Abu Dhabi, Dubai, United Arab Emirates
600565554 www.moiat.gov.ae @MOIAT

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Water	Thallium	APHA 3030, 24th Ed APHA 3120B, 24th Ed APHA 3125 , 24th Ed EPA 3010A-92 USEPA 200.7-94 Documented in-house method EL-M-OP-CH-DXB-MD106A Iss4, 31Mar26 EL-M-OP-CH-DXB-MD106B Iss3, Jan25 EL-M-OP-CH-DXB-MD106C Iss4, 31Mar26 EL-M-OP-CH-DXB-MD106D Iss4, Jan25	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ØµØ¯Ø±Ø© Ø¥Ù„ÙƒØªØ±ÙˆÙ†ÙŠØ§Ù‹ ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ø¥Ù„Ù‰ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹. Ø£ÙŠ ØªØºÙŠÙŠØ± Ù‚Ø¯ Ø£Ùˆ ØªØºÙŠÙŠØ± ÙŠÙŠ Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Ø³ÙŠÙ„ØºÙ‰ Ø§Ø¹ØªØ¨Ø§Ø±Ù‡Ø§.

Ù‡Ø§Ø§Ù 600565554 TEL Øµ.Ø¨. 48666 P.O.BOX |Ø£Ø¨Ù‚Ø¸Ø¨ÙŠØŒ Ø¯Ø¨ÙŠØŒ Ø§Ù„Ø¥Ø±Ø§Ø¯Ø§Øª Ø§Ù„Ø¹Ø±Ø¨ÙŠØ© Ø§Ù„Ù…ØªØØ¯Ø©
Abu Dhabi, Dubai, United Arab Emirates
600565554 www.moiat.gov.ae @MOIAT

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Water	Tin	APHA 3030, 24th Ed APHA 3120B, 24th Ed APHA 3125 , 24th Ed EPA 3010A-92 USEPA 200.7-94 Documented in-house method EL-M-OP-CH-DXB-MD106A Iss4, 31Mar26 EL-M-OP-CH-DXB-MD106B Iss3, Jan25 EL-M-OP-CH-DXB-MD106C Iss4, 31Mar26 EL-M-OP-CH-DXB-MD106D Iss4, Jan25	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Øµ Ø¯Ø±Ø¬Ø§Ø±Ø¬Ø§Ø±Ø§Ø¯Ø§ Ø¥Ù„Ø§ Ø¨Ø§Ø³Ø¨Ø§Ø¹ Ø§Ù„Ø¨Ø±Ø§Ù…Ø¬ Ø£Ù Ø¨Ø·Ø§Ù‚Ø© Ø£Ø´ Ùƒ Ø£Ù Ø¨Ø¹Ø§Ø± Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Ø§Ù„Ø¥Ù„ÙƒØªØ±Ù†ÙŠØ© .§´Ù‡Ø§Ø¯Ø© Ù‡Ø°Ù„Ø¹Ù‡Ø

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Water	Titanium	APHA 3030, 24th Ed APHA 3120B, 24th Ed APHA 3125 , 24th Ed EPA 3010A-92 USEPA 200.7-94 Documented in-house method EL-M-OP-CH-DXB-MD106A Iss4, 31Mar26 EL-M-OP-CH-DXB-MD106B Iss3, Jan25 EL-M-OP-CH-DXB-MD106C Iss4, 31Mar26 EL-M-OP-CH-DXB-MD106D Iss4, Jan25	P
Chemical	Water	Uranium	APHA 3030, 24th Ed APHA 3125 , 24th Ed EPA 3010A-92 Documented in-house method EL-M-OP-CH-DXB-MD106D Iss4, Jan25	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Øµ Ø¯Ø¹Ø±Ø¶Ø¹ Ù„Ø§ Ø§Ø¹ØªØ¨Ø§Ø± Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Ø£Ù Ø§Ù‚Ù‚Ø¯Øª Ø£Ù Ø§Ø¹Ø¯Ù„Øª Ø£Ù Ø§Ø³ØªØ¨Ø¯Ù„Øª Ù‡Ø°Ø·Ø£ Ø£Ø¹ÙŠØ¯ Ù‡Ø°Ø§ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Ø§Ù„Ù‰ Ø§Ù„Ø¬Ù‡Ø© Ø§Ù„Ù…Ø®ØªØµØ©.

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Water	Vanadium	APHA 3030, 24th Ed APHA 3120B, 24th Ed APHA 3125 , 24th Ed EPA 3010A-92 USEPA 200.7-94 Documented in-house method EL-M-OP-CH-DXB-MD106A Iss4, 31Mar26 EL-M-OP-CH-DXB-MD106B Iss3, Jan25 EL-M-OP-CH-DXB-MD106C Iss4, 31Mar26 EL-M-OP-CH-DXB-MD106D Iss4, Jan25	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

MOIAT

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Øµ Ø¯Ø±Ø¬Ø© Ø¥Ù„ÙƒØªØ±Ù†ÙŠØ© Ù„Ø§ ØªØØªØ§Ø¬ Ø¥Ù„Ù‰ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹ Ø£Ùˆ ØªØºÙŠÙŠØ± Ùˆ‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Ø§Ù„Ø§Ø³.§´Ù‡Ø§Ø¯Ø© Ùˆ„ØºÙŠÙ‡Ø

Ù‡Ø§Ù 600565554 TEL Øµ.Ø¨. 48666 P.O.BOX |Ø£Ø¨Ù^Ø¸Ø¨ÙŠØŒ Ø¯Ø¨ÙŠØŒ Ø§Ù„Ø¥Ù…Ø§Ø±Ø§Øª Ø§Ù„Ø¹Ø±Ø¨ÙŠØ© Ø§Ù„Ù…ØªØØ¯Ø©
Abu Dhabi, Dubai, United Arab Emirates
600565554 www.moiat.gov.ae @MOIAT

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Water	Zinc	APHA 3030, 24th Ed APHA 3120B, 24th Ed APHA 3125 , 24th Ed EPA 3010A-92 USEPA 200.7-94 Documented in-house method EL-M-OP-CH-DXB-MD106A Iss4, 31Mar26 EL-M-OP-CH-DXB-MD106B Iss3, Jan25 EL-M-OP-CH-DXB-MD106C Iss4, 31Mar26 EL-M-OP-CH-DXB-MD106D Iss4, Jan25	P
Chemical	Water	Dichlorodifluoromethane	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss2, Jan24	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

MOIAT

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ØµØ¯Ø±Ø© Ø¥Ù„ÙƒØªØ±ÙˆÙ†ÙŠØ§Ù‹ ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ø¥Ù„Ù‰ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹. Ø£ÙŠ ØªØºÙŠÙŠØ± ÙŠÙ‡ Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Ø³ÙŠÙ„ØºÙŠ ØµÙ„Ø§ØÙŠØªÙ‡Ø§.

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Water	Chloromethane	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss2, Jan24	P
Chemical	Water	Vinyl chloride	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss2, Jan24	P
Chemical	Water	Bromomethane	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss2, Jan24	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

MOIAT

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Øµ Ø¯Ø±Ø¬Ø© Ø¥Ù„ÙƒØªØ±Ù†ÙŠØ© ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ø¥Ù„Ù‰ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹. Ø£ÙŠ ØªØºÙŠÙŠØ± ÙŠÙ‡ Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ÙŠÙ„ØºÙŠ ØµÙ„Ø§ØÙŠØªÙ‡Ø§.

Ù‡Ø§Ù 600565554 TEL Øµ.Ø¨. 48666 P.O.BOX |Ø£Ø¨Ù‘Ø¸Ø¨ÙŠØŒ Ø¯Ø¨ÙŠØŒ Ø§Ù„Ø¥Ù…Ø§Ø±Ø§Øª Ø§Ù„Ø¹Ø±Ø¨ÙŠØ© Ø§Ù„Ù…ØªØØ¯Ø©
Abu Dhabi, Dubai, United Arab Emirates
600565554 www.moiat.gov.ae @MOIAT

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Water	Chloroethane	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss2, Jan24	P
Chemical	Water	Trichlorofluoromethane	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss2, Jan24	P
Chemical	Water	1,1- Dichloroethene	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss2, Jan24	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

MOIAT

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ØµØ¯Ø±Ø© Ø¥Ù„ÙƒØªØ±Ù†ÙŠØ§Ù‹ ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ø¥Ù„Ù‰ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹. Ø£ÙŠ Ø¥Ø¶Ø§ÙØ© Ø£Ùˆ ØªØ¹Ø¯ÙŠÙ„ ÙŠØ¤Ø¯ÙŠ Ø¥Ù„Ù‰ Ø¥Ù„ØºØ§Ø¡ Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø©.

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Water	Methylene Chloride	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss2, Jan24	P
Chemical	Water	Trans-1,2 Dichloroethene	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss2, Jan24	P
Chemical	Water	1,1 Dichloroethane	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss2, Jan24	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

MOIAT

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Øµ Ø¯Ø±Ø¬Ø© Ø¥Ù„ÙƒØªØ±Ù†ÙŠØ© ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ø¥Ù„Ù‰ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹. Ø£Ù‰ Ø¥Ø¶Ø§ÙØ© Ø£Ùˆ ØªØ¹Ø¯ÙŠÙ„ ÙØ´Ø· Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Ùˆ Ø§Ù„Ø§Ø³ØªÙ†Ø§Ø¯ Ø§Ù„Ù‰ Ø§Ù„Ø¥ØµØ¯Ø§Ø± Ø§Ù„Ø³Ø§Ø¨Ù‚.

Ù‡Ø§ØªÙ 600565554 TEL Øµ.Ø¨. 48666 P.O.BOX |Ø£Ø¨Ùˆ Ø¸Ø¨ÙŠ Ø¯Ø¨ÙŠ Ø§Ù„Ø¥Ù…Ø§Ø±Ø§Øª Ø§Ù„Ø¹Ø±Ø¨ÙŠØ© Ø§Ù„Ù…ØªØØ¯Ø©
Abu Dhabi, Dubai, United Arab Emirates
600565554 www.moiat.gov.ae @MOIAT

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Water	Cis-1,2-Dichloroethene	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss2, Jan24	P
Chemical	Water	2,2-Dichloropropane	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss2, Jan24	P
Chemical	Water	Bromochloromethane	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss2, Jan24	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

MOIAT

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Øµ Ø¯Ø±Ø¬Ø© Ø¥Ù„ÙƒØªØ±Ù†ÙŠØ© ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ø¥Ù„Ù‰ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹. Ø£ÙŠ ØªØºÙŠÙŠØ± ÙŠØ¬Ø¹Ù„ Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ØºÙŠØ± ØµØ§Ù„ØØ©.

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Water	Chloroform	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss2, Jan24	P
Chemical	Water	Carbon Tetrachloride	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss2, Jan24	P
Chemical	Water	1,1,1- Trichloroethane	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss2, Jan24	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

MOIAT

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ØµØ¯Ø±Ø© Ø¥Ù„ÙƒØªØ±ÙˆÙ†ÙŠØ§Ù‹ ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ø¥Ù„Ù‰ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹. Ø£ÙŠ Ø¹Ø¯Ù„ Ø£Ùˆ ØªØºÙŠÙŠØ± ÙŠØ¬Ø¹Ù„ Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ØºÙŠØ± ØµØ§Ù„ØØ©.

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Water	1,1 Dichloropropene	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss2, Jan24	P
Chemical	Water	1,2-Dichloroethane	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss2, Jan24	P
Chemical	Water	Trichloroethene	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss2, Jan24	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

MOIAT

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ØµØ¯Ø±Ø© Ø¥Ù„ÙƒØªØ±ÙˆÙ†ÙŠØ§Ù‹ ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ù„Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹ Ø£ÙŠ ØªØºÙŠÙŠØ± Ø£Ùˆ Ø¥Ø²Ø§Ù„Ø© Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Ø³ÙŠØ¤Ø¯ÙŠ Ø¥Ù„Ù‰ Ø¥Ù„ØºØ§Ø¦Ù‡Ø§.

Ù‡Ø§ØªÙ 600565554 TEL Øµ.Ø¨. 48666 P.O.BOX |Ø£Ø¨Ùˆ Ø¸Ø¨ÙŠØŒ Ø¸Ø¨ÙŠØŒ Ø§Ù„Ø¥Ù…Ø§Ø±Ø§Øª Ø§Ù„Ø¹Ø±Ø¨ÙŠØ© Ø§Ù„Ù…ØªØØ¯Ø©
Abu Dhabi, Dubai, United Arab Emirates
600565554 www.moiat.gov.ae @MOIAT

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Water	1,2-Dichloropropane	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss2, Jan24	P
Chemical	Water	Bromodichloromethane	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss2, Jan24	P
Chemical	Water	Dibromomethane	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss2, Jan24	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

MOIAT

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Øµ Ø¯Ø©Ø±Ù‚Ù…ÙŠØ© ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ø¥Ù„Ù‰ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹ Ø£Ùˆ ØªØºÙŠÙŠØ± Ø£ÙŠ Ùƒ Ø¹Ø¯Ø¯ÙŠ Ø£Ùˆ Ø¥Ø¯Ø®Ø§Ù„ Ø£Ùˆ ØªØ¹Ø¯ÙŠÙ„ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Ø³ÙŠØ¤Ø¯ÙŠ Ø¥Ù„Ù‰ Ø¥Ù„ØºØ§Ø¡Ù‡Ø§.

Ù‡Ø§ØªÙ 600565554 TEL Øµ.Ø¨. 48666 P.O.BOX |Ø£Ø¨Ùˆ Ø¸Ø¨ÙŠØŒ Ø¯Ø¨ÙŠØŒ Ø§Ù„Ø¥Ù…Ø§Ø±Ø§Øª Ø§Ù„Ø¹Ø±Ø¨ÙŠØ© Ø§Ù„Ù…ØªØØ¯Ø©
Abu Dhabi, Dubai, United Arab Emirates
600565554 www.moiat.gov.ae @MOIAT

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Water	Cis-1,3-Dichloropropene	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss2, Jan24	P
Chemical	Water	Toluene	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss2, Jan24	P
Chemical	Water	Trans-1,3-Dichloropropene	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss2, Jan24	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

MOIAT

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Øµ Ø¯Ø±Ø¬Ø© Ø¥Ù„ÙƒØªØ±Ù†ÙŠØ© ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ø¥Ù„Ù‰ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹. Ø£Ù‰ Ø¹Ø¨Ø«Ø© Ø£Ùˆ ØªØ¹Ø¯ÙŠÙ„ ÙÙŠ Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ÙŠÙ„ØºÙŠ ØµÙ„Ø§ØÙŠØªÙ‡Ø§.

Ù‡Ø§Ù 600565554 TEL Øµ.Ø¨. 48666 P.O.BOX |Ø£Ø¨Ùˆ Ø¸Ø¨Ùˆ Ø§Ù„Ø¹Ø§Ø¡ Ø§Ù„Ø¹Ø±Ø¨ÙŠØ© Ø§Ù„Ù…ØªØØ¯Ø©
Abu Dhabi, Dubai, United Arab Emirates
600565554 www.moiat.gov.ae @MOIAT

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Water	1,1,2- Trichloroethane	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss2, Jan24	P
Chemical	Water	Tetrachloroethene	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss2, Jan24	P
Chemical	Water	Chlorodibromomethane	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss2, Jan24	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

MOIAT

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Øµ Ø¯Ø±Ø¬Ø© Ø¥Ù„ÙƒØªØ±Ù†ÙŠØ© ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ø¥Ù„Ù‰ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹. Ø£Ù‰ Ø¥Ø¶Ø§ÙØ© Ø£Ùˆ ØªØ¹Ø¯ÙŠÙ„ ÙØ´Ø· Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Ø§Ø¹ØªØ¨Ø§Ø±Ø§ Ù…Ù† ØªØ§Ø±ÙŠØ® Ø§Ù„Ø¥ØµØ¯Ø§Ø±.

Ù‡Ø§ØªÙ 600565554 TEL Øµ.Ø¨. 48666 P.O.BOX |Ø£Ø¨ÙˆØ¸Ø¨ÙŠ Ø¯Ø¨ÙŠ Ø§Ù„Ø¥Ù…Ø§Ø±Ø§Øª Ø§Ù„Ø¹Ø±Ø¨ÙŠØ© Ø§Ù„Ù…ØªØØ¯Ø©
Abu Dhabi, Dubai, United Arab Emirates
600565554 www.moiat.gov.ae @MOIAT

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Water	MTBE	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss2, Jan24	P
Chemical	Water	TAME	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss2, Jan24	P
Chemical	Water	1,2-Dibromoethane	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss2, Jan24	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

MOIAT

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Øµ Ø¯Ø±Ø¬Ø© Ø¥Ù„ÙƒØªØ±Ù†ÙŠØ© ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ø¥Ù„Ù‰ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹. Ø£ÙŠ ØªØ¹Ø¯ÙŠÙ„ ÙŠØ¬Ø¹Ù„ Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ØºÙŠØ± ØµØ§Ù„ØØ©.

Ù‡Ø§ØªÙ 600565554 TEL Øµ.Ø¨. 48666 P.O.BOX |Ø£Ø¨Ùˆ Ø¸Ø¨ÙŠ Ø¯Ø¨ÙŠ Ø§Ù„Ø¥Ù…Ø§Ø±Ø§Øª Ø§Ù„Ø¹Ø±Ø¨ÙŠØ© Ø§Ù„Ù…ØªØØ¯Ø©
Abu Dhabi, Dubai, United Arab Emirates
600565554 www.moiat.gov.ae @MOIAT

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Water	1,3-Dichloropropane	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss2, Jan24	P
Chemical	Water	Ethylbenzene	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss2, Jan24	P
Chemical	Water	1,1,1,2-Tetrachloroethane	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss2, Jan24	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

MOIAT

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ØµØ¯Ø±Ø© Ø¥Ù„ÙƒØªØ±ÙˆÙ†ÙŠØ§Ù‹ ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ø¥Ù„Ù‰ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹. Ø£ÙŠ ØªØºÙŠÙŠØ± ÙŠØ¬Ø¹Ù„ Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Ø¨Ø§Ø·Ù„Ø©.

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Water	Chlorobenzene	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss2, Jan24	P
Chemical	Water	m-Xylene	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss2, Jan24	P
Chemical	Water	p-Xylene	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss2, Jan24	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

MOIAT

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Øµ Ø¯Ø©Ø±Ø© Ø¥Ù„Ù‰ Ø§Ù„ØªØÙ‚Ù‚ Ù„Ø§ Ø³Ø§Ø¨Ù‚Ø© Ø£Ù‰ Ø¥Ø´Ø¹Ø§Ø± Ø£Ù‰ Ø¥Ø°Ø·Ø§Ø± Ø¢Ø®Ø± Ù‡Ø°Ø· Ø£Ù‰ Ø¥Ø¹Ø§Ø¯Ø© Ù‡Ø° Ù‡Ø°Ø° Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Ø§Ù„Ø¥Ø¯Ø§Ø±Ø© Ø§Ù„Ø¹Ø§Ù…Ø© Ù„Ø§Ø¹ØªÙ…Ø§Ø¯ Ø§Ù„Ø¥Ù…Ø§Ø±Ø§Øª Ø§Ù„Ø¹Ø±Ø¨ÙŠØ© Ø§Ù„Ù…ØªØØ¯Ø©.

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Water	o-Xylene	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss2, Jan24	P
Chemical	Water	Bromoform	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss2, Jan24	P
Chemical	Water	Styrene	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss2, Jan24	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

MOIAT

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ØµØ¯Ø±Ø© Ø¥Ù„ÙƒØªØ±ÙˆÙ†ÙŠØ§Ù‹ ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ø¥Ù„Ù‰ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹. Ø£ÙŠ ØªØºÙŠÙŠØ± ÙŠØ¬Ø¹Ù„ Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Ø¨Ø§Ø·Ù„Ø©.

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Water	Isopropylbenzene	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss2, Jan24	P
Chemical	Water	Bromobenzene	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss2, Jan24	P
Chemical	Water	n-Propyl benzene	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss2, Jan24	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

MOIAT

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ØµØ¯Ø±Ø© Ø¥Ù„ÙƒØªØ±ÙˆÙ†ÙŠØ§Ù‹ ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ø¥Ù„Ù‰ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹. Ø£Ù‰ ØªØºÙŠÙŠØ± Ø£Ùˆ ØªØ²ÙˆÙŠØ± ÙŠØ¬Ø¹Ù„ Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Ø¨Ø§Ø·Ù„Ø©.

Ù‡Ø§Ù 600565554 TEL Øµ.Ø¨. 48666 P.O.BOX |Ø£Ø¨Ùˆ Ø¸Ø¨Ùˆ Ø¸Ø§Ù„Ø§Ø§Ø§ Ø§Ù„Ø¹Ø±Ø¨Ù© Ø§Ù„Ù…Ø¤Ø¨Ø© Ø§Ù„Ø¹Ø±Ø¨Ù©
Abu Dhabi, Dubai, United Arab Emirates
600565554 www.moiat.gov.ae @MOIAT

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Water	1,1,2,2-Tetrachloroethane	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss2, Jan24	P
Chemical	Water	1,2,3- Trichloropropane	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss2, Jan24	P
Chemical	Water	1,3,5- Trimethylbenzene	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss2, Jan24	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

MOIAT

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Øµ Ø¯Ø±Ø¬Ø© Ø¥Ù„ÙƒØªØ±Ù†ÙŠØ© ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ø¥Ù„Ù‰ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹. Ø£Ù‰ Ø¥Ø¶Ø§ÙØ© Ø£Ùˆ ØªØ¹Ø¯ÙŠÙ„ ÙØ¯ Ø¥Ù„ØºØ§Ø¡ Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ÙˆÙ‡Ùˆ Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Ù„Ù„Ø§Ø³Ù‡Ù„Ø§Ùƒ Ø§Ù„Ø´Ø®ØµÙŠ.

Ù‡Ø§Ù 600565554 TEL Øµ.Ø¨. 48666 P.O.BOX |Ø£Ø¨Ùˆ Ø¸Ø¨Ùˆ Ø¸Ù„Ø¨Ø§Ø§Ø§ Ø§Ù„Ø¹Ø±Ø¨Ù© Ø§Ù„Ù…Ø¤Ø¨Ø© Ø§Ù„Ø©
Abu Dhabi, Dubai, United Arab Emirates
600565554 www.moiat.gov.ae @MOIAT

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Water	2-Chlorotoluene	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss2, Jan24	P
Chemical	Water	4- Chlorotoluene	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss2, Jan24	P
Chemical	Water	tert-Butylbenzene	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss2, Jan24	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

MOIAT

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ØµØ¯Ø±Ø© Ø¥Ù„ÙƒØªØ±ÙˆÙ†ÙŠØ§Ù‹ ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ø¥Ù„Ù‰ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹. Ø£ÙŠ ØªØºÙŠÙŠØ± ÙŠÙ‡ Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Ø³ÙŠÙ„ØºÙŠ ØµÙ„Ø§ØÙŠØªÙ‡Ø§.

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Water	1,2,4- Trimethylbenzene	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss2, Jan24	P
Chemical	Water	sec-Butylbenzene	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss2, Jan24	P
Chemical	Water	p-Isopropyltoluene	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss2, Jan24	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

MOIAT

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ØµØ¯Ø±Ø© Ø¥Ù„ÙƒØªØ±ÙˆÙ†ÙŠØ§Ù‹ ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ø¥Ù„Ù‰ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹. Ø£ÙŠ ØªØºÙŠÙŠØ± ÙŠÙ‡ Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Ø³ÙŠÙ„ØºÙŠ ØµÙ„Ø§ØÙŠØªÙ‡Ø§.

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Water	1,3- Dichlorobenzene	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss2, Jan24	P
Chemical	Water	1,4-Dichlorobenzene	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss2, Jan24	P
Chemical	Water	n-butyl benzene	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss2, Jan24	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

MOIAT

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Øµ Ø¯Ø±Ø¬Ø© Ø¥Ù„ÙƒØªØ±Ù†ÙŠØ© ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ø¥Ù„Ù‰ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹. Ø£ÙŠ ØªØºÙŠÙŠØ± ÙŠØ¬Ø¹Ù„ Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Ø§Ù„Ø§Ù„ÙƒØªØ±Ù†ÙŠØ© ØºÙŠØ± ØµØ§Ù„ØØ©.

Ù‡Ø§Ù 600565554 TEL Øµ.Ø¨. 48666 P.O.BOX |Ø£Ø¨Ùˆ Ø¸Ø¨Ùˆ Ø¯Ø¨Ùˆ Ø§Ù„Ø¥Ø±Ø§Ø Ø§Ù„Ø¹Ø±Ø¨ÙŠØ© Ø§Ù„Ù…ØªØØ¯Ø©
Abu Dhabi, Dubai, United Arab Emirates
600565554 www.moiat.gov.ae @MOIAT

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Water	1,2-Dichlorobenzene	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss2, Jan24	P
Chemical	Water	1,2-Dibromo-3-	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss2, Jan24	P
Chemical	Water	Chloropropane	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss2, Jan24	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

MOIAT

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ØµØ¯Ø±Ø© Ø¥Ù„ÙƒØªØ±ÙˆÙ†ÙŠØ§Ù‹ ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ø¥Ù„Ù‰ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹. Ø£ÙŠ ØªØºÙŠÙŠØ± ÙŠØ¬Ø¹Ù„ Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Ø¨Ø§Ø·Ù„Ø©.

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Water	1,2,4- Trichlorobenzene	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss2, Jan24	P
Chemical	Water	Hexachlorobutadiene	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss2, Jan24	P
Chemical	Water	Naphthalene	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss2, Jan24	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

MOIAT

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ØµØ¯Ø±Ø© Ø¥Ù„ÙƒØªØ±ÙˆÙ†ÙŠØ§Ù‹ ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ø¥Ù„Ù‰ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹. Ø£ÙŠ Ø¥Ø¶Ø§ÙØ© Ø£Ùˆ ØªØ¹Ø¯ÙŠÙ„ ÙŠØ¬Ø¹Ù„ Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ØºÙŠØ± ØµØ§Ù„ØØ©.

Ù‡Ø§ØªÙ 600565554 TEL Øµ.Ø¨. 48666 P.O.BOX |Ø£Ø¨Ùˆ Ø¸Ø¨ÙŠ Ø¯Ø¨ÙŠ Ø§Ù„Ø¥Ù…Ø§Ø±Ø§Øª Ø§Ù„Ø¹Ø±Ø¨ÙŠØ© Ø§Ù„Ù…ØªØØ¯Ø©
Abu Dhabi, Dubai, United Arab Emirates
600565554 www.moiat.gov.ae @MOIAT

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Water	1,2,3- Trichlorobenzene	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss2, Jan24	P
Chemical	Water	BTEX	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev2 Jul 2014 EPA 5035 Rev0 Dec 1996 EPA 8015D Rev4 Jun 2003 Documented in-house method EL-M-OP-CH-DXB-MD408 Iss2, Dec24	P
Chemical	Water	Benzene	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev2 Jul 2014 EPA 5035 Rev0 Dec 1996 EPA 8015D Rev4 Jun 2003 Documented in-house method EL-M-OP-CH-DXB-MD408 Iss2, Dec24	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

MOIAT

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ØµØ¯Ø±Ø© Ø¥Ù„ÙƒØªØ±ÙˆÙ†ÙŠØ§Ù‹ ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ø¥Ù„Ù‰ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹. Ø£ÙŠ ØªØºÙŠÙŠØ± ÙŠÙŠ Ù‡Ø°Ù‡ Ø§Ø¹ØªÙŠÙŠØ± ÙŠÙŠ Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Ø³Ù.§´Ù‡Ø§Ø¯Ø© Ù‡Ù„Ø¹ÙŠÙ‡Ø

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Water	Toluene	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev2 Jul 2014 EPA 5035 Rev0 Dec 1996 EPA 8015D Rev4 Jun 2003 Documented in-house method EL-M-OP-CH-DXB-MD408 Iss2, Dec24	P
Chemical	Water	Ethylbenzene	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev2 Jul 2014 EPA 5035 Rev0 Dec 1996 EPA 8015D Rev4 Jun 2003 Documented in-house method EL-M-OP-CH-DXB-MD408 Iss2, Dec24	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

MOIAT

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Øµ Ø¯Ø±Ø¬Ø© Ø¥Ù„ÙƒØªØ±ÙˆÙ†ÙŠØ© ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ø¥Ù„Ù‰ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹. Ø£Ù‰ ØªØ¹Ø¯ÙŠÙ„ Ø£Ùˆ ØªØºÙŠÙŠØ± ÙŠØ¬Ø¹Ù„ Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Ø¨Ø§Ø·Ù„Ø©.

Ù‡Ø§Ù 600565554 TEL Øµ.Ø¨. 48666 P.O.BOX |Ø£Ø¨Ùˆ Ø¸Ø¨Ùˆ Ø¯Ø¨Ùˆ Øª Ø§Ù„Ø¹Ø±Ø¨ Ø§Ù„Ù¹Ø±Ø¨Ùˆ Ø§Ù„Ø¥Ù…Ø§Ø±Ø§Øª
Abu Dhabi, Dubai, United Arab Emirates
600565554 www.moiat.gov.ae @MOIAT

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Water	m-Xylene	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev2 Jul 2014 EPA 5035 Rev0 Dec 1996 EPA 8015D Rev4 Jun 2003 Documented in-house method EL-M-OP-CH-DXB-MD408 Iss2, Dec24	P
Chemical	Water	p-Xylene	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev2 Jul 2014 EPA 5035 Rev0 Dec 1996 EPA 8015D Rev4 Jun 2003 Documented in-house method EL-M-OP-CH-DXB-MD408 Iss2, Dec24	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

MOIAT

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Øµ Ø¯Ø±Ø¬Ø© Ø¥Ù„ÙƒØªØ±Ù†ÙŠØ© ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ø¥Ù„Ù‰ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹ Ø£Ùˆ Ø¥Ø°Ø§ Ø£Ø¯Ø®Ù„ Ø£ÙŠ ØªØ¹Ø¯ÙŠÙ„ Ø¹Ù„Ù‰ Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ÙØ¥Ù†Ù‡Ø§ Ø³ØªÙƒÙˆÙ† Ø¨Ø§Ø·Ù„Ø©.

Ù‡Ø§ØªÙ 600565554 TEL Øµ.Ø¨. 48666 P.O.BOX |Ø£Ø¨ÙˆØ¸Ø¨ÙŠ Ø¯Ø¨ÙŠ Ø§Ù„Ø¥Ù…Ø§Ø±Ø§Øª Ø§Ù„Ø¹Ø±Ø¨ÙŠØ© Ø§Ù„Ù…ØªØØ¯Ø©
Abu Dhabi, Dubai, United Arab Emirates
600565554 www.moiat.gov.ae @MOIAT

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Water	o-Xylene	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev2 Jul 2014 EPA 5035 Rev0 Dec 1996 EPA 8015D Rev4 Jun 2003 Documented in-house method EL-M-OP-CH-DXB-MD408 Iss2, Dec24	P
Chemical	Potable Water	Organochlorine Pesticides (OCP)	US EPA 8081B Rev2 Feb 2007 US EPA 608:1984 Documented in-house methodEL-M-OP-CH-DXB-MD402 Iss2,Sep25	P
Chemical	Potable Water	Alpha BHC	US EPA 8081B Rev2 Feb 2007 US EPA 608:1984 Documented in-house methodEL-M-OP-CH-DXB-MD402 Iss2,Sep25	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

MOIAT

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Øµ Ø¯Ø±Ø¬Ø© Ø¥Ù„ÙƒØªØ±Ù†ÙŠØ© ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ø¥Ù„Ù‰ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹ Ø£Ùˆ Ø¹Ù„Ø§Ù…Ø© Ø£Ø¯Ø¨ÙŠØ© Ø£ÙŠ ØªØºÙŠÙŠØ± ÙŠØ¬Ø¹Ù„ Ù‡Ø°Ø§ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Ø§Ù„Ø¥Ù„ÙƒØªØ±Ù†ÙŠØ© Ø¨Ø§Ø·Ù„Ø©.

Ù‡Ø§Ù 600565554 TEL Øµ.Ø¨. 48666 P.O.BOX |Ø£Ø¨Ùˆ Ø¸Ø¨Ùˆ Ø¯Ø¨Ùˆ Øª Ø§Ù„Ø¥Ø¯Ø§Ø±Ø© Ø§Ù„Ø¹Ø§Ù…Ø© Ø§Ù„Ø¹Ù„Ø§Ù‚Ø§Øª Ø§Ù„Ø¹Ø§Ù…Ø©
Abu Dhabi, Dubai, United Arab Emirates
600565554 www.moiat.gov.ae @MOIAT

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Potable Water	Beta BHC	US EPA 8081B Rev2 Feb 2007 US EPA 608:1984 Documented in-house methodEL-M-OP-CH-DXB-MD402 Iss2,Sep25	P
Chemical	Potable Water	Aldrin	US EPA 8081B Rev2 Feb 2007 US EPA 608:1984 Documented in-house methodEL-M-OP-CH-DXB-MD402 Iss2,Sep25	P
Chemical	Potable Water	Heptachlor	US EPA 8081B Rev2 Feb 2007 US EPA 608:1984 Documented in-house methodEL-M-OP-CH-DXB-MD402 Iss2,Sep25	P
Chemical	Potable Water	Heptachlor Epoxide	US EPA 8081B Rev2 Feb 2007 US EPA 608:1984 Documented in-house methodEL-M-OP-CH-DXB-MD402 Iss2,Sep25	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

MOIAT

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Øµ Ø¯Ø±Ø¬Ø© Ø¥Ù„ÙƒØªØ±Ù†ÙŠØ© ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ø¥Ù„Ù‰ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹ Ø£Ùˆ ØªØ¹Ø¯ÙŠÙ„ Ø£ÙŠ Ø¹Ø¯Ø¯ Ø£Ùˆ Ø¥Ø¶Ø§ÙØ© Ø£ÙŠ Ø¨ÙŠØ§Ù†Ø§Øª Ø¹Ù„Ù‰ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Ø³ÙŠØ¤Ø¯ÙŠ Ø¥Ù„Ù‰ Ø¥Ù„ØºØ§Ø¡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø©.

Ù‡Ø§ØªÙ 600565554 TEL Øµ.Ø¨. 48666 P.O.BOX |Ø£Ø¨ÙˆØ¸Ø¨ÙŠ Ø¯Ø¨ÙŠ Ø§Ù„Ø¥Ù…Ø§Ø±Ø§Øª Ø§Ù„Ø¹Ø±Ø¨ÙŠØ© Ø§Ù„Ù…ØªØØ¯Ø©
Abu Dhabi, Dubai, United Arab Emirates
600565554 www.moiat.gov.ae @MOIAT

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Potable Water	Alpha Endosulfan	US EPA 8081B Rev2 Feb 2007 US EPA 608:1984 Documented in-house methodEL-M-OP-CH-DXB-MD402 Iss2,Sep25	P
Chemical	Potable Water	p,p'-DDE	US EPA 8081B Rev2 Feb 2007 US EPA 608:1984 Documented in-house methodEL-M-OP-CH-DXB-MD402 Iss2,Sep25	P
Chemical	Potable Water	Dieldrin	US EPA 8081B Rev2 Feb 2007 US EPA 608:1984 Documented in-house methodEL-M-OP-CH-DXB-MD402 Iss2,Sep25	P
Chemical	Potable Water	Endrin	US EPA 8081B Rev2 Feb 2007 US EPA 608:1984 Documented in-house methodEL-M-OP-CH-DXB-MD402 Iss2,Sep25	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

MOIAT

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ØµØ¯Ø±Ø© Ø¥Ù„ÙƒØªØ±ÙˆÙ†ÙŠØ§Ù‹ ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ù„Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹. Ø£ÙŠ ØªØºÙŠÙŠØ± Ù‚Ø¯ Ø£Ùˆ ØªØ¹Ø¯ÙŠÙ„ ÙŠØ¬Ø¹Ù„ Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ØºÙŠØ± ØµØ§Ù„ØØ©.

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Potable Water	Endrin Ketone	US EPA 8081B Rev2 Feb 2007 US EPA 608:1984 Documented in-house methodEL-M-OP-CH-DXB-MD402 Iss2,Sep25	P
Chemical	Potable Water	p,p'-DDD	US EPA 8081B Rev2 Feb 2007 US EPA 608:1984 Documented in-house methodEL-M-OP-CH-DXB-MD402 Iss2,Sep25	P
Chemical	Potable Water	Beta Endosulfan	US EPA 8081B Rev2 Feb 2007 US EPA 608:1984 Documented in-house methodEL-M-OP-CH-DXB-MD402 Iss2,Sep25	P
Chemical	Potable Water	Endrin Aldehyde	US EPA 8081B Rev2 Feb 2007 US EPA 608:1984 Documented in-house methodEL-M-OP-CH-DXB-MD402 Iss2,Sep25	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

MOIAT

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ØµØ¯Ø±Ø© Ø¥Ù„ÙƒØªØ±ÙˆÙ†ÙŠØ§Ù‹ ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ù„Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹ Ø£ÙŠ ÙˆØ´Ø·Ø¨ Ø£Ùˆ ØªØºÙŠÙŠØ± Ø£ÙŠ ØªØºÙŠÙŠØ± ÙŠÙƒÙˆÙ† Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Ø¨Ø¯ÙˆÙ† Ø§Ø«Ø± Ù‚Ø§Ù†ÙˆÙ†ÙŠ.

Ù‡Ø§ØªÙ 600565554 TEL Øµ.Ø¨. 48666 P.O.BOX |Ø£Ø¨ÙˆØ¸Ø¨ÙŠ Ø¯Ø¨ÙŠ Ø§Ù„Ø¥Ù…Ø§Ø±Ø§Øª Ø§Ù„Ø¹Ø±Ø¨ÙŠØ© Ø§Ù„Ù…ØªØØ¯Ø©
Abu Dhabi, Dubai, United Arab Emirates
600565554 www.moiat.gov.ae @MOIAT

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Potable Water	Endosulfan Sulphate	US EPA 8081B Rev2 Feb 2007 US EPA 608:1984 Documented in-house methodEL-M-OP-CH-DXB-MD402 Iss2,Sep25	P
Chemical	Potable Water	p,p'-DDT	US EPA 8081B Rev2 Feb 2007 US EPA 608:1984 Documented in-house methodEL-M-OP-CH-DXB-MD402 Iss2,Sep25	P
Chemical	Potable Water	Methoxychlor	US EPA 8081B Rev2 Feb 2007 US EPA 608:1984 Documented in-house methodEL-M-OP-CH-DXB-MD402 Iss2,Sep25	P
Chemical	Potable Water	Lindane	US EPA 8081B Rev2 Feb 2007 US EPA 608:1984 Documented in-house methodEL-M-OP-CH-DXB-MD402 Iss2,Sep25	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

MOIAT

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Øµ Ø¯Ø±Ø¬Ø© Ø¥Ù„ÙƒØªØ±Ù†ÙŠØ© ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ø¥Ù„Ù‰ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹ Ø£Ùˆ ØªØ¹Ø¯ÙŠÙ„ Ø£Ùˆ Ø¥Ø¶Ø§ÙØ© Ø£Ùˆ ØØ°Ù Ø£ÙŠ Ø¨ÙŠØ§Ù†Ø§Øª Ø¹Ù„Ù‰ Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Ø³ÙŠØ¤Ø¯ÙŠ Ø¥Ù„Ù‰ Ø¥Ù„ØºØ§Ø¡Ù‡Ø§.

Ù‡Ø§ØªÙ 600565554 TEL Øµ.Ø¨. 48666 P.O.BOX |Ø£Ø¨Ùˆ Ø¸Ø¨ÙŠØŒ Ø¯Ø¨ÙŠØŒ Ø§Ù„Ø¥Ù…Ø§Ø±Ø§Øª Ø§Ù„Ø¹Ø±Ø¨ÙŠØ© Ø§Ù„Ù…ØªØØ¯Ø©
Abu Dhabi, Dubai, United Arab Emirates
600565554 www.moiat.gov.ae @MOIAT

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Potable Water	Delta-BHC	US EPA 8081B Rev2 Feb 2007 US EPA 608:1984 Documented in-house methodEL-M-OP-CH-DXB-MD402 Iss2,Sep25	P
Chemical	Potable Water	Chlordane (Cis &Trans)	US EPA 8081B Rev2 Feb 2007 US EPA 608:1984 Documented in-house methodEL-M-OP-CH-DXB-MD402 Iss2,Sep25	P
Chemical	Water, Soil and Sand	Polycylic Aromatic	EPA 8270E Rev6 Jun 2018 EPA 3550 Rev3 Feb 2007 Documented In house method EL-M-OP-CH-DXB-MD403 Iss4,May26	P
Chemical	Water, Soil and Sand	Hydrocarbon (PAH)	EPA 8270E Rev6 Jun 2018 EPA 3550 Rev3 Feb 2007 Documented In house method EL-M-OP-CH-DXB-MD403 Iss4,May26	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

MOIAT

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ØµØ¯Ø±Ø¨Ø¹Ø¯ Ø¥Ù„Ø§ Ø¨Ø¹Ø¯ Ø§Ù„ØªØ£ÙƒÙ‘Ø¯ Ù…Ù† Ø§Ù„Ø¨ÙŠØ§Ù†Ø§Øª Ø£Ùˆ Ø¥Ø¯Ø®Ø§Ù„ Ø£ÙŠ Ø¨ÙŠØ§Ù†Ø§Øª Ø¥Ø¶Ø§ÙÙŠØ© Ø¹Ù„Ù‰ Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Ù‚Ø¯ ÙŠÙ„ØºÙŠ ØµÙ„Ø§ØÙŠØªÙ‡Ø§.

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Water, Soil and Sand	Naphthalene	EPA 8270E Rev6 Jun 2018 EPA 3550 Rev3 Feb 2007 Documented In house method EL-M-OP-CH-DXB-MD403 Iss4,May26	P
Chemical	Water, Soil and Sand	Acenaphthylene	EPA 8270E Rev6 Jun 2018 EPA 3550 Rev3 Feb 2007 Documented In house method EL-M-OP-CH-DXB-MD403 Iss4,May26	P
Chemical	Water, Soil and Sand	Acenaphthene	EPA 8270E Rev6 Jun 2018 EPA 3550 Rev3 Feb 2007 Documented In house method EL-M-OP-CH-DXB-MD403 Iss4,May26	P
Chemical	Water, Soil and Sand	Fluorene	EPA 8270E Rev6 Jun 2018 EPA 3550 Rev3 Feb 2007 Documented In house method EL-M-OP-CH-DXB-MD403 Iss4,May26	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

MOIAT

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ØµØ¯Ø±Ø¨Ø¹Ø¯ Ø¥Ù„Ù‰ Ø§Ø¹ØªÙ…Ø§Ø¯ Ù‡Ùˆ Ø§Ù„Ø¹Ø§Ø¯Ø© Ø£Ù Ø¹Ù‚Ø¨ Ø£Ø¬Ø·Ø£ Ø£Ø°Ø§ Ø¹Ø¯Ù„Øª Ø£Ùˆ Ø¹Ø¯Ù„Ø© Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Ø§Ù„Ø¥Ù„ÙƒØªØ±ÙˆÙ†ÙŠØ© Ø§Ù„Ø¥Ù„ØºØ§Ø¡ Ø§Ù„ÙÙˆØ±ÙŠ.

Ù‡Ø§Ù 600565554 TEL Øµ.Ø¨. 48666 P.O.BOX |Ø£Ø¨Ù‡Ø¸Ø¨ÙŠØŒ Ø¯Ø¨ÙŠØŒ Ø§Ù„Ø¥Ù…Ø§Ø±Ø§Øª Ø§Ù„Ø¹Ø±Ø¨ÙŠØ© Ø§Ù„Ù…ØªØØ¯Ø©
Abu Dhabi, Dubai, United Arab Emirates
600565554 www.moiat.gov.ae @MOIAT

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Water, Soil and Sand	Phenanthrene	EPA 8270E Rev6 Jun 2018 EPA 3550 Rev3 Feb 2007 Documented In house method EL-M-OP-CH-DXB-MD403 Iss4,May26	P
Chemical	Water, Soil and Sand	Anthracene	EPA 8270E Rev6 Jun 2018 EPA 3550 Rev3 Feb 2007 Documented In house method EL-M-OP-CH-DXB-MD403 Iss4,May26	P
Chemical	Water, Soil and Sand	Fluoranthene	EPA 8270E Rev6 Jun 2018 EPA 3550 Rev3 Feb 2007 Documented In house method EL-M-OP-CH-DXB-MD403 Iss4,May26	P
Chemical	Water, Soil and Sand	Pyrene	EPA 8270E Rev6 Jun 2018 EPA 3550 Rev3 Feb 2007 Documented In house method EL-M-OP-CH-DXB-MD403 Iss4,May26	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

MOIAT

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ØµØ¯Ø±Ø¨Ø¹Ø¯ Ø¥Ù„Ù‰ Ø§Ø¹ØªÙ…Ø§Ø¯ Ù‡Ùˆ Ø§Ù„Ø¹Ø§Ø¯Ø© Ø£Ù„ Ùƒ Ø¥Ø°Ø§ Ø£Ù‰ Ø¹Ø¯Ù„ Ø£Ù‰ Ø¹Ø¯Ø¯Ø§Ø¯ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Ø¨Ø·Ù„Ø§Ù†Ù‡Ø§ .Ø´Ù‡Ø§Ø¯Ø© Ù‡Ùˆ„Ø¹Ù‡Ø

Ù‡Ø§Ø§Ù 600565554 TEL Øµ.Ø¨. 48666 P.O.BOX |Ø£Ø¨Ù‚Ø¸Ø¨ÙŠØŒ Ø¯Ø¨ÙŠØŒ Ø§Ù„Ø¥Ù…Ø§Ø§Ø§ Ø§Ù„Ø¹Ø±Ø¨ÙŠØ© Ø§Ù„Ù…ØªØØ¯Ø©
Abu Dhabi, Dubai, United Arab Emirates
600565554 www.moiat.gov.ae @MOIAT

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Water, Soil and Sand	Benzo(a)anthracene	EPA 8270E Rev6 Jun 2018 EPA 3550 Rev3 Feb 2007 Documented In house method EL-M-OP-CH-DXB-MD403 Iss4,May26	P
Chemical	Water, Soil and Sand	Chrysene	EPA 8270E Rev6 Jun 2018 EPA 3550 Rev3 Feb 2007 Documented In house method EL-M-OP-CH-DXB-MD403 Iss4,May26	P
Chemical	Water, Soil and Sand	Benzo(b)fluoranthene	EPA 8270E Rev6 Jun 2018 EPA 3550 Rev3 Feb 2007 Documented In house method EL-M-OP-CH-DXB-MD403 Iss4,May26	P
Chemical	Water, Soil and Sand	Benzo(k)fluoranthene	EPA 8270E Rev6 Jun 2018 EPA 3550 Rev3 Feb 2007 Documented In house method EL-M-OP-CH-DXB-MD403 Iss4,May26	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

MOIAT

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ØµØ¯Ø±Ø¨Ø¹Ø¯ Ø¥Ù„Ø§ Ø¨Ø¹Ø¯ Ø§Ù„ØªØ£ÙƒÙ‘Ø¯ Ù…Ù† Ø§Ù„Ø¨ÙŠØ§Ù†Ø§Øª Ø£Ùˆ Ø§Ù„Ø·Ù„Ø¨ Ø¹Ù„Ù‰ Ø§Ù„Ù…ÙˆÙ‚Ø¹ Ø§Ù„Ø¥Ù„ÙƒØªØ±ÙˆÙ†ÙŠ Ù„Ù„Ù‡ÙŠØ¦Ø© Ø§Ù„Ø§ØªØØ§Ø¯ÙŠØ© Ù„Ù„Ø§Ø¹ØªÙ…Ø§Ø¯ Ø§Ù„Ø¥Ù…Ø§Ø±Ø§Øª

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Water, Soil and Sand	Benzo(a)pyrene	EPA 8270E Rev6 Jun 2018 EPA 3550 Rev3 Feb 2007 Documented In house method EL-M-OP-CH-DXB-MD403 Iss4,May26	P
Chemical	Water, Soil and Sand	Indeno(1,2,3-c,d)pyrene	EPA 8270E Rev6 Jun 2018 EPA 3550 Rev3 Feb 2007 Documented In house method EL-M-OP-CH-DXB-MD403 Iss4,May26	P
Chemical	Water, Soil and Sand	Dibenz(a,h)anthracene	EPA 8270E Rev6 Jun 2018 EPA 3550 Rev3 Feb 2007 Documented In house method EL-M-OP-CH-DXB-MD403 Iss4,May26	P
Chemical	Water, Soil and Sand	Benzo(g,h,i)perylene	EPA 8270E Rev6 Jun 2018 EPA 3550 Rev3 Feb 2007 Documented In house method EL-M-OP-CH-DXB-MD403 Iss4,May26	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

MOIAT

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ØµØ¯Ø±Ø¨Ø¹Ø¯ Ø¥Ù„Ø§ Ø¨Ø¹Ø¯ Ø§Ù„ØªØ£ÙƒÙ‘Ø¯ Ù…Ù† Ø§Ù„Ø¨ÙŠØ§Ù†Ø§Øª Ø£Ùˆ Ø§Ù„Ø·Ù„Ø¨ Ø¥Ø°Ø§ Ø£Ø¯Ø®Ù„Øª Ø£ÙŠ Ø¨ÙŠØ§Ù†Ø§Øª Ø®Ø§Ø·Ø¦Ø© Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Ù„Ø§ØºÙŠØ© Ø§Ù„Ù…ÙØ¹ÙˆÙ„.

Ù‡Ø§ØªÙ 600565554 TEL Øµ.Ø¨. 48666 P.O.BOX |Ø£Ø¨ÙˆØ¸Ø¨ÙŠ Ø¯Ø¨ÙŠ Ø§Ù„Ø¥Ù…Ø§Ø±Ø§Øª Ø§Ù„Ø¹Ø±Ø¨ÙŠØ© Ø§Ù„Ù…ØªØØ¯Ø©
Abu Dhabi, Dubai, United Arab Emirates
600565554 www.moiat.gov.ae @MOIAT

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Water, Soil and Sand	Total Petroleum Hydrocarbons (TPH)	US EPA 8015D Rev4 Jun 2003US EPA 3550C Rev3 Feb 2007Documented in-house methodEL-M-OP-CH-DXB-MD401 Iss2, Dec24	P
Chemical	Water, Soil and Sand	Volatile Petroleum Hydrocarbons C5-C10 (VPH)	US EPA 8015D Rev4 Jun 2003EPA 5021A Rev2 Jul 2014EPA 5035 Rev0 Dec 1996EL-M-OP-CH-DXB-MD405 Iss2, Jan25	P
Chemical	Water, Soil and Sand	Extractable Petroleum Hydrocarbons (EPH) C10-C40	US EPA 8015D Rev4 Jun 2003 US EPA 3550C Rev3 Feb 2007 Documented in-house method EL-M-OP-CH-DXB-MD401 Iss2, Dec24	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

MOIAT

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ØµØ¯Ø±Ø© Ø¥Ù„ÙƒØªØ±ÙˆÙ†ÙŠØ§Ù‹ ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ø¥Ù„Ù‰ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹. Ø£ÙŠ ØªØºÙŠÙŠØ± Ù‚Ø¯ Ø£Ùˆ ØªØºÙŠÙŠØ± Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Ø³ÙŠÙ„ØºÙŠ ØµÙ„Ø§ØÙŠØªÙ‡Ø§.

Ù‡Ø§Ù 600565554 TEL Øµ.Ø¨. 48666 P.O.BOX |Ø£Ø¨Ùˆ Ø¸Ø¨Ùˆ Ø¯Ø¨Ùˆ Ø§Ù„Ø¥Ù…Ø§Ø±Ø§Øª Ø§Ù„Ø¹Ø±Ø¨ÙŠØ© Ø§Ù„Ù…ØªØØ¯Ø©
Abu Dhabi, Dubai, United Arab Emirates
600565554 www.moiat.gov.ae @MOIAT

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Soil and Sand	Dichlorodifluoromethane	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss3,Sep25	P
Chemical	Soil and Sand	Chloromethane	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss3,Sep25	P
Chemical	Soil and Sand	Vinyl chloride	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss3,Sep25	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

MOIAT

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ØµØ¯Ø±Ø© Ø¥Ù„ÙƒØªØ±Ù†ÙŠØ§Ù‹ ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ø¥Ù„Ù‰ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹. Ø£ÙŠ ØªØºÙŠÙŠØ± ÙŠØ¬Ø¹Ù„ Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Ø§Ù„Ø§Ù„ÙƒØªØ±Ù†ÙŠØ© ØºÙŠØ± ØµØ§Ù„ØØ©.

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Soil and Sand	Bromomethane	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss3,Sep25	P
Chemical	Soil and Sand	Chloroethane	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss3,Sep25	P
Chemical	Soil and Sand	Trichlorofluoromethane	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss3,Sep25	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

MOIAT

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ØµØ¯Ø±Ø© Ø¥Ù„ÙƒØªØ±Ù†ÙŠØ© Ù„Ø§ ØªØªØ·Ù„Ø¨ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹. Ø³ØªÙƒÙˆÙ† Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ØºÙŠØ± ØµØ§Ù„ØØ© ÙÙŠ ØØ§Ù„Ø© Ø£ÙŠ ØªØ¹Ø¯ÙŠÙ„.

Ù‡Ø§ØªÙ 600565554 TEL Øµ.Ø¨. 48666 P.O.BOX |Ø£Ø¨ÙˆØ¸Ø¨ÙŠ Ø¯Ø¨ÙŠ Ø§Ù„Ø¥Ù…Ø§Ø±Ø§Øª Ø§Ù„Ø¹Ø±Ø¨ÙŠØ© Ø§Ù„Ù…ØªØØ¯Ø©
Abu Dhabi, Dubai, United Arab Emirates
600565554 www.moiat.gov.ae @MOIAT

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Soil and Sand	1,1- Dichloroethene	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss3,Sep25	P
Chemical	Soil and Sand	Methylene Chloride	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss3,Sep25	P
Chemical	Soil and Sand	Trans-1,2 Dichloroethene	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss3,Sep25	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

MOIAT

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ØµØ¯Ø±Ø© Ø¥Ù„ÙƒØªØ±Ù†ÙŠØ© Ù„Ø§ ØªØªØ·Ù„Ø¨ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹. Ø£Ù‰ ØªØ¹Ø¯ÙŠÙ„ Ø£Ùˆ Ø¥Ø²Ø§Ù„Ø© Ù„Ø¬Ø²Ø¡ Ù…Ù† Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Ø³ÙŠØ¤Ø¯ÙŠ Ø¥Ù„Ù‰ Ø¥Ù„ØºØ§Ø¡Ù‡Ø§.

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Soil and Sand	1,1 Dichloroethane	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss3,Sep25	P
Chemical	Soil and Sand	Cis-1,2-Dichloroethene	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss3,Sep25	P
Chemical	Soil and Sand	2,2-Dichloropropane	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss3,Sep25	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

MOIAT

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ØµØ¯Ø±Ø© Ø¥Ù„ÙƒØªØ±ÙˆÙ†ÙŠØ§Ù‹ ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ø¥Ù„Ù‰ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹. Ø£Ù‰ ØªØºÙŠÙŠØ± Ø£Ùˆ ØªØ¹Ø¯ÙŠÙ„ ÙŠØ¬Ø¹Ù„ Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ØºÙŠØ± ØµØ§Ù„ØØ©.

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Soil and Sand	Bromochloromethane	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss3,Sep25	P
Chemical	Soil and Sand	Chloroform	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss3,Sep25	P
Chemical	Soil and Sand	Carbon Tetrachloride	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss3,Sep25	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

MOIAT

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ØµØ¯Ø±Ø© Ø¥Ù„ÙƒØªØ±ÙˆÙ†ÙŠØ§Ù‹ ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ø¥Ù„Ù‰ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹. Ø£Ù‰ ØªØºÙŠÙŠØ± Ø£Ùˆ ØªØ¹Ø¯ÙŠÙ„ ÙŠØ¬Ø¹Ù„ Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ØºÙŠØ± ØµØ§Ù„ØØ©.

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Soil and Sand	1,1,1- Trichloroethane	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss3,Sep25	P
Chemical	Soil and Sand	1,1 Dichloropropene	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss3,Sep25	P
Chemical	Soil and Sand	Benzene	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss3,Sep25	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

MOIAT

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ØµØ¯Ø±Ø© Ø¥Ù„ÙƒØªØ±ÙˆÙ†ÙŠØ§Ù‹ ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ø¥Ù„Ù‰ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹. Ø£ÙŠ ØªØºÙŠÙŠØ± Ù‚Ø¯ ÙŠØ¤Ø¯ÙŠ Ø¥Ù„Ù‰ Ø¥Ù„ØºØ§Ø¡ Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø©.

Ù‡Ø§Ù 600565554 TEL Øµ.Ø¨. 48666 P.O.BOX |Ø£Ø¨Ùˆ Ø¸Ø¨Ùˆ Ø¯Ø¨Ùˆ Ø§Ù„Ø¥Ù…Ø§Ø±Ø§Øª Ø§Ù„Ø¹Ø±Ø¨ÙŠØ© Ø§Ù„Ù…ØªØØ¯Ø©
Abu Dhabi, Dubai, United Arab Emirates
600565554 www.moiat.gov.ae @MOIAT

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Soil and Sand	1,2-Dichloroethane	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss3,Sep25	P
Chemical	Soil and Sand	Trichloroethene	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss3,Sep25	P
Chemical	Soil and Sand	1,2-Dichloropropane	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss3,Sep25	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

MOIAT

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ØµØ¯Ø±Ø© Ø¥Ù„ÙƒØªØ±ÙˆÙ†ÙŠØ§Ù‹ ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ø¥Ù„Ù‰ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹. Ø£ÙŠ ØªØºÙŠÙŠØ± Ù‚Ø¯ ÙŠØ¬Ø¹Ù„ Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Ø¨Ø§Ø·Ù„Ø©.

Ù‡Ø§ØªÙ 600565554 TEL Øµ.Ø¨. 48666 P.O.BOX |Ø£Ø¨ÙˆØ¸Ø¨ÙŠ Ø¯Ø¨ÙŠ Ø§Ù„Ø¥Ù…Ø§Ø±Ø§Øª Ø§Ù„Ø¹Ø±Ø¨ÙŠØ© Ø§Ù„Ù…ØªØØ¯Ø©
Abu Dhabi, Dubai, United Arab Emirates
600565554 www.moiat.gov.ae @MOIAT

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Soil and Sand	Bromodichloromethane	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss3,Sep25	P
Chemical	Soil and Sand	Dibromomethane	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss3,Sep25	P
Chemical	Soil and Sand	Cis-1,3-Dichloropropene	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss3,Sep25	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

MOIAT

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ØµØ¯Ø±Ø© Ø¥Ù„ÙƒØªØ±ÙˆÙ†ÙŠØ§Ù‹ ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ù„Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹. Ø£ÙŠ ØªØºÙŠÙŠØ± Ù‡Ùˆ Ø¥Ù„ØºØ§Ø¡ Ù„Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø©.

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Soil and Sand	Toluene	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss3,Sep25	P
Chemical	Soil and Sand	Trans-1,3-Dichloropropene	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss3,Sep25	P
Chemical	Soil and Sand	1,1,2- Trichloroethane	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss3,Sep25	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

MOIAT

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Øµ Ø¯Ø±Ø¬Ø© Ø¥Ù„ÙƒØªØ±Ù†ÙŠØ© ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ø¥Ù„Ù‰ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹ Ø£Ùˆ ØªØ¹Ø¯ÙŠÙ„ Ø£ÙŠ Ø¹Ø¯Ø¯ Ø¥Ù„Ù‰ Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Ø³ÙŠØ¤Ø¯ÙŠ Ø¥Ù„Ù‰ Ø¥Ù„ØºØ§Ø¦Ù‡Ø§.

Ù‡Ø§ØªÙ 600565554 TEL Øµ.Ø¨. 48666 P.O.BOX |Ø£Ø¨Ùˆ Ø¸Ø¨ÙŠØŒ Ø¯Ø¨ÙŠØŒ Ø§Ù„Ø¥Ù…Ø§Ø±Ø§Øª Ø§Ù„Ø¹Ø±Ø¨ÙŠØ© Ø§Ù„Ù…ØªØØ¯Ø©
Abu Dhabi, Dubai, United Arab Emirates
600565554 www.moiat.gov.ae @MOIAT

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Soil and Sand	Tetrachloroethene	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss3,Sep25	P
Chemical	Soil and Sand	Chlorodibromomethane	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss3,Sep25	P
Chemical	Soil and Sand	1,3-Dichloropropane	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss3,Sep25	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

MOIAT

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Øµ Ø¯Ø©Ø±Ù‚Ù…ÙŠØ© ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ø¥Ù„Ù‰ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹ Ø£Ùˆ ØªØºÙŠÙŠØ± Ø£ÙŠ Ùƒ Ø¹Ø¯Ø¯ Ø£Ùˆ ØªØ¹Ø¯ÙŠÙ„ Ø¥Ù„Ù‰ Ø´Ù‡Ø§Ø¯Ø© Ø§Ù„Ø§Ø¹ØªÙ…Ø§Ø¯ ÙŠØ¹ØªØ¨Ø± Ù„Ø§ØºÙŠØ§Ù‹ ÙˆØ¨Ø§Ø·Ù„Ø§Ù‹.

Ù‡Ø§ØªÙ 600565554 TEL Øµ.Ø¨. 48666 P.O.BOX |Ø£Ø¨ÙˆØ¸Ø¨ÙŠ Ø¯Ø¨ÙŠ Ø§Ù„Ø¥Ù…Ø§Ø±Ø§Øª Ø§Ù„Ø¹Ø±Ø¨ÙŠØ© Ø§Ù„Ù…ØªØØ¯Ø©
Abu Dhabi, Dubai, United Arab Emirates
600565554 www.moiat.gov.ae @MOIAT

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Soil and Sand	Ethybenzene	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss3,Sep25	P
Chemical	Soil and Sand	1,1,1,2-Tetrachloroethane	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss3,Sep25	P
Chemical	Soil and Sand	1,2-Dibromoethane	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss3,Sep25	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

MOIAT

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Øµ Ø¯Ø©Ø±Ù‚Ù…ÙŠØ© ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ø¥Ù„Ù‰ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹ Ø£Ùˆ Ø¥Ø°Ø§ Ø£Ø¬Ø±ÙŠ Ø£ÙŠ ØªØ¹Ø¯ÙŠÙ„ Ø¹Ù„ÙŠÙ‡Ø§ Ø³ØªÙƒÙˆÙ† Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ØºÙŠØ± ØµØ§Ù„ØØ©.

Ù‡Ø§ØªÙ 600565554 TEL Øµ.Ø¨. 48666 P.O.BOX |Ø£Ø¨ÙˆØ¸Ø¨ÙŠ Ø¯Ø¨ÙŠ Ø§Ù„Ø¥Ù…Ø§Ø±Ø§Øª Ø§Ù„Ø¹Ø±Ø¨ÙŠØ© Ø§Ù„Ù…ØªØØ¯Ø©
Abu Dhabi, Dubai, United Arab Emirates
600565554 www.moiat.gov.ae @MOIAT

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Soil and Sand	Chlorobenzene	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss3,Sep25	P
Chemical	Soil and Sand	m-Xylene	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss3,Sep25	P
Chemical	Soil and Sand	p-Xylene	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss3,Sep25	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

MOIAT

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ØµØ¯Ø±Ø© Ø¥Ù„ÙƒØªØ±ÙˆÙ†ÙŠØ§Ù‹ ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ù„Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹ Ø£ÙŠ ØªØºÙŠÙŠØ± ÙŠØ¬Ø¹Ù„Ù‡Ø§ Ø¨Ø§Ø·Ù„Ø©.

Ù‡Ø§ØªÙ 600565554 TEL Øµ.Ø¨. 48666 P.O.BOX |Ø£Ø¨ÙˆØ¸Ø¨ÙŠ Ø¯Ø¨ÙŠ Ø§Ù„Ø¥Ù…Ø§Ø±Ø§Øª Ø§Ù„Ø¹Ø±Ø¨ÙŠØ© Ø§Ù„Ù…ØªØØ¯Ø©
Abu Dhabi, Dubai, United Arab Emirates
600565554 www.moiat.gov.ae @MOIAT

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Soil and Sand	o-Xylene	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss3,Sep25	P
Chemical	Soil and Sand	Bromoform	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss3,Sep25	P
Chemical	Soil and Sand	Styrene	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss3,Sep25	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

MOIAT

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ØµØ¯Ø±Ø© Ø¥Ù„ÙƒØªØ±ÙˆÙ†ÙŠØ§Ù‹ ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ø¥Ù„Ù‰ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹. Ø£Ù‰ ØªØºÙŠÙŠØ± Ø£Ùˆ ØªØ¹Ø¯ÙŠÙ„ ÙŠØ¬Ø¹Ù„ Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ØºÙŠØ± ØµØ§Ù„ØØ©.

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Soil and Sand	Isopropylbenzene	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss3,Sep25	P
Chemical	Soil and Sand	Bromobenzene	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss3,Sep25	P
Chemical	Soil and Sand	n-Propyl benzene	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss3,Sep25	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ØµØ¯Ø±Ø¨Ø¹Ø¯ Ø¥Ù„Ù‰ Ø§Ù„Ø§Ù…Ø§Ø±Ø§Øª Ù„Ø§ ØªØØªØ§Ø¬ Ø¥Ù„Ù‰ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹ Ø£Ùˆ ØªØºÙŠÙŠØ± Ø£Ùˆ Ø¥Ø¶Ø§ÙØ© Ø£Ùˆ ØØ°Ù Ø£ÙŠ Ø¨ÙŠØ§Ù†Ø§Øª Ø¹Ù„Ù‰ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Ø³ÙŠØ¤Ø¯ÙŠ Ø¥Ù„Ù‰ Ø¥Ù„ØºØ§Ø¡Ù‡Ø§.

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Soil and Sand	1,1,2,2-Tetrachloroethane	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss3,Sep25	P
Chemical	Soil and Sand	1,2,3- Trichloropropane	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss3,Sep25	P
Chemical	Soil and Sand	1,3,5- Trimethylbenzene	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss3,Sep25	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

MOIAT

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ØµØ¯Ø±Ø© Ø¥Ù„ÙƒØªØ±ÙˆÙ†ÙŠØ§Ù‹ ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ù„Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹ Ø£ÙŠ ØªØºÙŠÙŠØ± Ù‚Ø¯ ÙŠØ¤Ø¯ÙŠ Ø¥Ù„Ù‰ Ø¥Ø¨Ø·Ø§Ù„Ù‡Ø§.

Ù‡Ø§ØªÙ 600565554 TEL Øµ.Ø¨. 48666 P.O.BOX |Ø£Ø¨Ùˆ Ø¸Ø¨ÙŠØŒ Ø¯Ø¨ÙŠØŒ Ø§Ù„Ø¥Ù…Ø§Ø±Ø§Øª Ø§Ù„Ø¹Ø±Ø¨ÙŠØ© Ø§Ù„Ù…ØªØØ¯Ø©
Abu Dhabi, Dubai, United Arab Emirates
600565554 www.moiat.gov.ae @MOIAT

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Soil and Sand	2-Chlorotoluene	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss3,Sep25	P
Chemical	Soil and Sand	4- Chlorotoluene	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss3,Sep25	P
Chemical	Soil and Sand	tert-Butylbenzene	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss3,Sep25	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

MOIAT

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ØµØ¯Ø±Ø© Ø¥Ù„ÙƒØªØ±ÙˆÙ†ÙŠØ§Ù‹ ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ø¥Ù„Ù‰ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹. Ø£Ù‰ ØªØºÙŠÙŠØ± Ø£Ùˆ ØªØ¹Ø¯ÙŠÙ„ ÙŠØ¬Ø¹Ù„ Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ØºÙŠØ± ØµØ§Ù„ØØ©.

Ù‡Ø§ØªÙ 600565554 TEL Øµ.Ø¨. 48666 P.O.BOX |Ø£Ø¨ÙˆØ¸Ø¨ÙŠ Ø¯Ø¨ÙŠ Ø§Ù„Ø¥Ù…Ø§Ø±Ø§Øª Ø§Ù„Ø¹Ø±Ø¨ÙŠØ© Ø§Ù„Ù…ØªØØ¯Ø©
Abu Dhabi, Dubai, United Arab Emirates
600565554 www.moiat.gov.ae @MOIAT

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Soil and Sand	1,2,4- Trimethylbenzene	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss3,Sep25	P
Chemical	Soil and Sand	sec-Butylbenzene	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss3,Sep25	P
Chemical	Soil and Sand	p-Isopropyltoluene	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss3,Sep25	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

MOIAT

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ØµØ¯Ø±Ø© Ø¥Ù„ÙƒØªØ±ÙˆÙ†ÙŠØ§Ù‹ ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ø¥Ù„Ù‰ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹. Ø£ÙŠ ØªØºÙŠÙŠØ± Ù‚Ø¯ ÙŠØ¬Ø¹Ù„ Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Ø§Ù„Ø§Ù„ÙƒØªØ±ÙˆÙ†ÙŠØ© ØºÙŠØ± ØµØ§Ù„ØØ©.

Ù‡Ø§ØªÙ 600565554 TEL Øµ.Ø¨. 48666 P.O.BOX |Ø£Ø¨ÙˆØ¸Ø¨ÙŠ Ø¯ÙˆÙ„Ø© Ø§Ù„Ø¥Ù…Ø§Ø±Ø§Øª Ø§Ù„Ø¹Ø±Ø¨ÙŠØ© Ø§Ù„Ù…ØªØØ¯Ø©
Abu Dhabi, Dubai, United Arab Emirates
600565554 www.moiat.gov.ae @MOIAT

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Soil and Sand	1,3- Dichlorobenzene	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss3,Sep25	P
Chemical	Soil and Sand	1,4-Dichlorobenzene	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss3,Sep25	P
Chemical	Soil and Sand	n-butyl benzene	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss3,Sep25	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

MOIAT

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Øµ Ø¯Ø±Ø¬Ø© Ø¥Ù„ÙƒØªØ±Ù†ÙŠØ© ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ø¥Ù„Ù‰ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹. Ø£Ù‰ Ø¥Ø¶Ø§ÙØ© Ø£Ùˆ ØªØ¹Ø¯ÙŠÙ„ ÙŠØ¤Ø¯ÙŠ Ø¥Ù„Ù‰ Ø¥Ù„ØºØ§Ø¡ Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Ø§Ù„Ø§Ù„ÙƒØªØ±Ù†ÙŠØ©.

Ù‡Ø§ØªÙ 600565554 TEL Øµ.Ø¨. 48666 P.O.BOX |Ø£Ø¨ÙˆØ¸Ø¨ÙŠ Ø¯Ø¨ÙŠ Ø§Ù„Ø¥Ù…Ø§Ø±Ø§Øª Ø§Ù„Ø¹Ø±Ø¨ÙŠØ© Ø§Ù„Ù…ØªØØ¯Ø©
Abu Dhabi, Dubai, United Arab Emirates
600565554 www.moiat.gov.ae @MOIAT

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Soil and Sand	1,2-Dichlorobenzene	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss3,Sep25	P
Chemical	Soil and Sand	1,2-Dibromo-3-	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss3,Sep25	P
Chemical	Soil and Sand	Chloropropane	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss3,Sep25	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

MOIAT

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ØµØ¯Ø±Ø© Ø¥Ù„ÙƒØªØ±ÙˆÙ†ÙŠØ§Ù‹ ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ø¥Ù„Ù‰ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹. Ø£ÙŠ ØªØºÙŠÙŠØ± Ù‚Ø¯ ÙŠØ¬Ø¹Ù„ Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Øº Ù…Ø§Ù„ØØ©.

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Soil and Sand	1,2,4- Trichlorobenzene	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss3,Sep25	P
Chemical	Soil and Sand	Hexachlorobutadiene	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss3,Sep25	P
Chemical	Soil and Sand	Naphthalene	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss3,Sep25	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

MOIAT

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Øµ Ø¯Ø±Ø¬Ø© Ø¥Ù„ÙƒØªØ±Ù†ÙŠØ© ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ø¥Ù„Ù‰ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹ Ø£Ùˆ ØªØ¹Ø¯ÙŠÙ„ Ø£ÙŠ Ø¹Ø¯Ø¯ Ø¥Ù„Ù‰ Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Ø³ÙŠØ¤Ø¯ÙŠ Ø¥Ù„Ù‰ Ø¥Ù„ØºØ§Ø¦Ù‡Ø§.

Ù‡Ø§ØªÙ 600565554 TEL Øµ.Ø¨. 48666 P.O.BOX |Ø£Ø¨ÙˆØ¸Ø¨ÙŠ Ø¯Ø¨ÙŠ Ø§Ù„Ø¥Ù…Ø§Ø±Ø§Øª Ø§Ù„Ø¹Ø±Ø¨ÙŠØ© Ø§Ù„Ù…ØªØØ¯Ø©
Abu Dhabi, Dubai, United Arab Emirates
600565554 www.moiat.gov.ae @MOIAT

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Soil and Sand	1,2,3- Trichlorobenzene	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss3,Sep25	P
Chemical	Soil and Sand	MTBE	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss3,Sep25	P
Chemical	Soil and Sand	TAME	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss3,Sep25	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

MOIAT

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ØµØ¯Ø±Ø© Ø¥Ù„ÙƒØªØ±ÙˆÙ†ÙŠØ§Ù‹ ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ø¥Ù„Ù‰ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹. Ø£ÙŠ ØªØºÙŠÙŠØ± Ø£Ùˆ ØªØ¹Ø¯ÙŠÙ„ ÙŠØ¬Ø¹Ù„ Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ØºÙŠØ± ØµØ§Ù„ØØ©.

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Soil and Sand	BTEX	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev2 Jul 2014 EPA 5035 Rev0 Dec 1996 EPA 8015D Rev4 Jun 2003 Documented in-house method EL-M-OP-CH-DXB-MD408 Iss2, Dec24	P
Chemical	Soil and Sand	Benzene	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev2 Jul 2014 EPA 5035 Rev0 Dec 1996 EPA 8015D Rev4 Jun 2003 Documented in-house method EL-M-OP-CH-DXB-MD408 Iss2, Dec24	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

MOIAT

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ØµØ¯Ø±Øª Ø¥Ù„ÙƒØªØ±Ù†ÙŠØ§Ù‹ ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ø¥Ù„Ù‰ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹. Ø£ÙŠ ØªØºÙŠÙŠØ± Ù‚Ø¯ Ø£Ùˆ Ø¥Ø²Ø§Ù„Ø© Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ÙŠÙ„ØºÙŠ ØµØ§Ù„ØØªÙ‡Ø§.

Ù‡Ø§Ù 600565554 TEL Øµ.Ø¨. 48666 P.O.BOX |Ø£Ø¨Ùˆ Ø¸Ø¨ÙŠØŒ Ø¯Ø¨ÙŠØŒ Ø§Ù„Ø¥Ù…Ø§Ø±Ø§Øª Ø§Ù„Ø¹Ø±Ø¨ÙŠØ© Ø§Ù„Ù…ØªØØ¯Ø©
Abu Dhabi, Dubai, United Arab Emirates
600565554 www.moiat.gov.ae @MOIAT

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Soil and Sand	Toluene	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev2 Jul 2014 EPA 5035 Rev0 Dec 1996 EPA 8015D Rev4 Jun 2003 Documented in-house method EL-M-OP-CH-DXB-MD408 Iss2, Dec24	P
Chemical	Soil and Sand	Ethylbenzene	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev2 Jul 2014 EPA 5035 Rev0 Dec 1996 EPA 8015D Rev4 Jun 2003 Documented in-house method EL-M-OP-CH-DXB-MD408 Iss2, Dec24	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Øµ Ø¯Ø±Ø¬Ø© Ø¥Ù„ÙƒØªØ±Ù†ÙŠØ© ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ø¥Ù„Ù‰ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹. Ø£Ù‰ ØªØºÙŠÙŠØ± Ø£Ùˆ Ø¥Ø²Ø§Ù„Ø© Ø§Ù„Ø¨ÙŠØ§Ù†Ø§Øª Ø§Ù„Ù…Ø°ÙƒÙˆØ±Ø© Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© ØªØ¬Ø¹Ù„Ù‡Ø§ Ø¨Ø§Ø·Ù„Ø©.

Ù‡Ø§Ù 600565554 TEL Øµ.Ø¨. 48666 P.O.BOX |Ø£Ø¨Ù‘Ø¸Ø¨ÙŠØŒ Ø¯Ø¨ÙŠØŒ Ø§Ù„Ø¥Ù…Ø§Ø±Ø§Øª Ø§Ù„Ø¹Ø±Ø¨ÙŠØ© Ø§Ù„Ù…ØªØØ¯Ø©
Abu Dhabi, Dubai, United Arab Emirates
600565554 www.moiat.gov.ae @MOIAT

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Soil and Sand	m-Xylene	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev2 Jul 2014 EPA 5035 Rev0 Dec 1996 EPA 8015D Rev4 Jun 2003 Documented in-house method EL-M-OP-CH-DXB-MD408 Iss2, Dec24	P
Chemical	Soil and Sand	p-Xylene	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev2 Jul 2014 EPA 5035 Rev0 Dec 1996 EPA 8015D Rev4 Jun 2003 Documented in-house method EL-M-OP-CH-DXB-MD408 Iss2, Dec24	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Øµ Ø¯Ø±Ø¬Ø© Ø¥Ù„ÙƒØªØ±Ù†ÙŠØ© ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ø¥Ù„Ù‰ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹. Ø£Ù‰ ØªØºÙŠÙŠØ± Ø£Ùˆ Ø¥Ø²Ø§Ù„Ø© Ø³ÙŠØ¤Ø¯ÙŠ Ø¥Ù„Ù‰ Ø¥Ù„ØºØ§Ø¡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø©.

Ù‡Ø§Ù 600565554 TEL Øµ.Ø¨. 48666 P.O.BOX |Ø£Ø¨Ù‘Ø¸Ø¨ÙŠØŒ Ø¯Ø¨ÙŠØŒ Ø§Ù„Ø¥Ù…Ø§Ø±Ø§Øª Ø§Ù„Ø¹Ø±Ø¨ÙŠØ© Ø§Ù„Ù…ØªØØ¯Ø©
Abu Dhabi, Dubai, United Arab Emirates
600565554 www.moiat.gov.ae @MOIAT

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Soil and Sand	o-Xylene	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev2 Jul 2014 EPA 5035 Rev0 Dec 1996 EPA 8015D Rev4 Jun 2003 Documented in-house method EL-M-OP-CH-DXB-MD408 Iss2, Dec24	P
Chemical	Sediments, Sludge and Soil	Aluminium	APHA 3120B, 24th Edition US EPA 3050 Rev 2 Dec 1996 EPA200.7:1994 ISO 11466:1995 BS ISO 11464:2006 Documented in-house method EL-M-OP-CH-DXB-MD112 Iss4,Mar26	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Øµ Ø¯Ø±Ø¬Ø©Ø±Ø§Ø¬Ø¹Ø© Ù‡Ù„Ø§ Ø§Ø Ø¹ØªÙ…Ø§Ø¯ Ø£Ù Ø¹Ù‚Ø¯ Ø£Ùˆ Ø¥Ø¶Ø§ÙØ© Ø£Ùˆ Ø¥Ø°Ø·Ø£ Ø£Ø ÙŠ Ø¹Ø°Ø± Ø£Ù Ø¹Ø¯Ù…Ø§Ø± Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© .Ø´Ù‡Ø§Ø¯Ø© Ù„Ù„Ø¹Ù‡Ø

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Sediments, Sludge and Soil	Antimony	APHA 3120B, 24th Edition US EPA 3050 Rev 2 Dec 1996 EPA200.7:1994 ISO 11466:1995 BS ISO 11464:2006 Documented in-house method EL-M-OP-CH-DXB-MD112 Iss4,Mar26	P
Chemical	Sediments, Sludge and Soil	Arsenic	APHA 3120B, 24th Edition US EPA 3050 Rev 2 Dec 1996 EPA200.7:1994 ISO 11466:1995 BS ISO 11464:2006 Documented in-house method EL-M-OP-CH-DXB-MD112 Iss4,Mar26	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Øµ Ø¯Ø¹Ù„Ù‰ Ø¥Ø±Ø§Ø¯Ø© Ø§Ù„Ù„Ù‡ Ø£Ù† Ø§Ù„Ù‡Ø¯Ù Ø£Ù Ø¹Ø¨Ø§Ø¯Ø© Ø£Ù Ø¹Ø¨Ø§Ø¯Ø© Ø§Ù„Ù„Ù‡ Ù‡Ùˆ Ø£Ù Ø¹Ø¨Ø§Ø¯Ø© Ø§Ù„Ù„Ù‡ Ù‡Ùˆ Ø§Ù„Ø§Ø³Ù„Ø§Ù… Ø§Ù„Ø§Ø³Ù„Ø§Ù… Ù‡Ùˆ Ø§Ù„Ø¯ÙŠÙ† Ø§Ù„Ø°Ù‰ Ø§Ø±ØªØ¶Ø§Ù‡ Ø§Ù„Ù„Ù‡ Ù„Ø¹Ø¨Ø§Ø¯Ù‡ Ø§Ù„Ù…Ø¤Ù…Ù†Ù‰Ù

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Sediments, Sludge and Soil	Barium	APHA 3120B, 24th Edition US EPA 3050 Rev 2 Dec 1996 EPA200.7:1994 ISO 11466:1995 BS ISO 11464:2006 Documented in-house method EL-M-OP-CH-DXB-MD112 Iss4,Mar26	P
Chemical	Sediments, Sludge and Soil	Beryllium	APHA 3120B, 24th Edition US EPA 3050 Rev 2 Dec 1996 EPA200.7:1994 ISO 11466:1995 BS ISO 11464:2006 Documented in-house method EL-M-OP-CH-DXB-MD112 Iss4,Mar26	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Øµ Ø¯Ø±Ø¬Ø© Ø¥Ù„ÙƒØªØ±Ù†ÙŠØ© ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ø¥Ù„Ù‰ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹. Ø£Ù‰ ØªØºÙŠÙŠØ± Ø£Ùˆ Ø¥Ø²Ø§Ù„Ø© Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Ø³ÙŠØ¤Ø¯ÙŠ Ø¥Ù„Ù‰ Ø¥Ù„ØºØ§Ø¦Ù‡Ø§.

Ù‡Ø§ØªÙ 600565554 TEL Øµ.Ø¨. 48666 P.O.BOX |Ø£Ø¨Ùˆ Ø¸Ø¨Ùˆ Ø¯Ø¨Ùˆ Ø§Ù„Ø¥Ù…Ø§Ø±Ø§Øª Ø§Ù„Ø¹Ø±Ø¨ÙŠØ© Ø§Ù„Ù…ØªØØ¯Ø©
Abu Dhabi, Dubai, United Arab Emirates
600565554 www.moiat.gov.ae @MOIAT

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Sediments, Sludge and Soil	Boron	APHA 3120B, 24th Edition US EPA 3050 Rev 2 Dec 1996 EPA200.7:1994 ISO 11466:1995 BS ISO 11464:2006 Documented in-house method EL-M-OP-CH-DXB-MD112 Iss4,Mar26	P
Chemical	Sediments, Sludge and Soil	Cadmium	APHA 3120B, 24th Edition US EPA 3050 Rev 2 Dec 1996 EPA200.7:1994 ISO 11466:1995 BS ISO 11464:2006 Documented in-house method EL-M-OP-CH-DXB-MD112 Iss4,Mar26	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

MOIAT

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Øµ Ø¯Ø¹Ø§Ø¯Ø¹Ø¯Ø¹Ø¯Ø¹

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Sediments, Sludge and Soil	Calcium	APHA 3120B, 24th Edition US EPA 3050 Rev 2 Dec 1996 EPA200.7:1994 ISO 11466:1995 BS ISO 11464:2006 Documented in-house method EL-M-OP-CH-DXB-MD112 Iss4,Mar26	P
Chemical	Sediments, Sludge and Soil	Cobalt	APHA 3120B, 24th Edition US EPA 3050 Rev 2 Dec 1996 EPA200.7:1994 ISO 11466:1995 BS ISO 11464:2006 Documented in-house method EL-M-OP-CH-DXB-MD112 Iss4,Mar26	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Øµ Ø¯Ø©Ø¹ Ø¥Ù„Ø§Ø±Ù†Ù†Ù‡Ø§ Ù„Ø§ ØªØ³ØªÙˆØ¬Ø¨ Ø§Ù„Ø®ØªÙ… Ø£Ùˆ Ø§Ù„ØªÙˆÙ‚ÙŠØ¹ Ø£ÙŠ Ø¥Ø°Ø·Ø¹ Ø£Ùˆ ØªØºÙŠÙŠØ± Ø£ÙŠ Ø¥Ø°Ø§ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Ø§Ù„Ù„Ù„ÙŠÙŠØ± Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Ù„Ù„ØªØ¹Ø¯ÙŠÙ„ Ø£Ùˆ Ø§Ù„ØªØºÙŠÙŠØ±.

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Sediments, Sludge and Soil	Copper	APHA 3120B, 24th Edition US EPA 3050 Rev 2 Dec 1996 EPA200.7:1994 ISO 11466:1995 BS ISO 11464:2006 Documented in-house method EL-M-OP-CH-DXB-MD112 Iss4,Mar26	P
Chemical	Sediments, Sludge and Soil	Chromium	APHA 3120B, 24th Edition US EPA 3050 Rev 2 Dec 1996 EPA200.7:1994 ISO 11466:1995 BS ISO 11464:2006 Documented in-house method EL-M-OP-CH-DXB-MD112 Iss4,Mar26	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Øµ Ø¯Ø±Ø¬Ø© Ø¥Ù„ÙƒØªØ±Ù†ÙŠØ© ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ø¥Ù„Ù‰ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹ Ø£Ùˆ ØªØºÙŠÙŠØ± Ø£ÙŠ Ùˆ‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Ø³ØªÙƒÙˆÙ† Ø¨Ø§Ø·Ù„Ø©.

Ù‡Ø§Ù 600565554 TEL Øµ.Ø¨. 48666 P.O.BOX |Ø£Ø¨Ù‚Ø¸Ø¨ÙŠØŒ Ø¯Ø¨ÙŠØŒ Ø§Ù„Ø¥Ù…Ø§Ø±Ø§Øª Ø§Ù„Ø¹Ø±Ø¨ÙŠØ© Ø§Ù„Ù…ØªØØ¯Ø©
Abu Dhabi, Dubai, United Arab Emirates
600565554 www.moiat.gov.ae @MOIAT

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Sediments, Sludge and Soil	Iron	APHA 3120B, 24th Edition US EPA 3050 Rev 2 Dec 1996 EPA200.7:1994 ISO 11466:1995 BS ISO 11464:2006 Documented in-house method EL-M-OP-CH-DXB-MD112 Iss4,Mar26	P
Chemical	Sediments, Sludge and Soil	Lead	APHA 3120B, 24th Edition US EPA 3050 Rev 2 Dec 1996 EPA200.7:1994 ISO 11466:1995 BS ISO 11464:2006 Documented in-house method EL-M-OP-CH-DXB-MD112 Iss4,Mar26	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Øµ Ø¯Ø±Ø¬Ø© Ø¥Ù„ÙƒØªØ±ÙˆÙ†ÙŠØ© ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ø¥Ù„Ù‰ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹ Ø£Ùˆ Ø¥Ø°Ø· Ø£Ùˆ ØªØºÙŠÙŠØ± Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© .Ø´Ù‡Ø§Ø¯Ø© Ù„Ø§ØºÙŠÙ‡Ø

Ù‡Ø§Ø¨Ù 600565554 TEL Øµ.Ø¨. 48666 P.O.BOX |Ø£Ø¨Ù‘Ø¸Ø¨ÙŠØŒ Ø¯Ø¨ÙŠØŒ Ø§Ù„Ø¥Ù…Ø§Ø±Ø§Øª Ø§Ù„Ø¹Ø±Ø¨ÙŠØ© Ø§Ù„Ù…ØªØØ¯Ø©
Abu Dhabi, Dubai, United Arab Emirates
600565554 www.moiat.gov.ae @MOIAT

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Sediments, Sludge and Soil	Magnesium	APHA 3120B, 24th Edition US EPA 3050 Rev 2 Dec 1996 EPA200.7:1994 ISO 11466:1995 BS ISO 11464:2006 Documented in-house method EL-M-OP-CH-DXB-MD112 Iss4,Mar26	P
Chemical	Sediments, Sludge and Soil	Manganese	APHA 3120B, 24th Edition US EPA 3050 Rev 2 Dec 1996 EPA200.7:1994 ISO 11466:1995 BS ISO 11464:2006 Documented in-house method EL-M-OP-CH-DXB-MD112 Iss4,Mar26	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Øµ Ø¯Ø±Ø¬Ø© Ø¥Ù„ÙƒØªØ±ÙˆÙ†ÙŠØ© ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ø¥Ù„Ù‰ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹. Ø£Ù‰ ØªØºÙŠÙŠØ± Ù‚Ø¯ Ø£Ùˆ ØªØºÙŠÙŠØ± Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Ø³ÙŠØ¤Ø¯ÙŠ Ø¥Ù„Ù‰ Ø¥Ù„ØºØ§Ø¦Ù‡Ø§.

Ù‡Ø§ØªÙ 600565554 TEL Øµ.Ø¨. 48666 P.O.BOX |Ø£Ø¨Ùˆ Ø¸Ø¨Ùˆ Ø¯Ø¨Ùˆ Ø§Ù„Ø¥Ù…Ø§Ø±Ø§Øª Ø§Ù„Ø¹Ø±Ø¨ÙŠØ© Ø§Ù„Ù…ØªØØ¯Ø©
Abu Dhabi, Dubai, United Arab Emirates
600565554 www.moiat.gov.ae @MOIAT

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Sediments, Sludge and Soil	Molybdenum	APHA 3120B, 24th Edition US EPA 3050 Rev 2 Dec 1996 EPA200.7:1994 ISO 11466:1995 BS ISO 11464:2006 Documented in-house method EL-M-OP-CH-DXB-MD112 Iss4,Mar26	P
Chemical	Sediments, Sludge and Soil	Nickel	APHA 3120B, 24th Edition US EPA 3050 Rev 2 Dec 1996 EPA200.7:1994 ISO 11466:1995 BS ISO 11464:2006 Documented in-house method EL-M-OP-CH-DXB-MD112 Iss4,Mar26	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Øµ Ø¯Ø¹Ù„Ù‰ Ø¥Ù†Ù‡Ø§ Øª Ø§Ù„Ø¹Ù„Ù‰ Ø§Ù„Ø¹Ù„Ø§Ù…Ø© Ø£Ùˆ Ø§Ù„ØªÙˆÙ‚ÙŠØ¹ Ø£Ùˆ Ø¥Ø°Ø· Ø£Ùˆ Ø¥Ø°Ø¹Ø±Ø§Ù Ø§Ù„Ø°Ù‰ Ù‚Ø¯ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© .Ø§Ù‡Ø§Ø¯Ø© Ù‰Ù„Ø¹Ù‰Ù‡Ø

Ù‡Ø§Ø¹Ù 600565554 TEL Øµ.Ø¨. 48666 P.O.BOX |Ø£Ø¨Ù‘Ø¸Ø¨ÙŠØŒ Ø¯Ø¨ÙŠØŒ Ø§Ù„Ø¥Ù…Ø§Ø±Ø§Øª Ø§Ù„Ø¹Ø±Ø¨ÙŠØ© Ø§Ù„Ù…ØªØØ¯Ø©
Abu Dhabi, Dubai, United Arab Emirates
600565554 www.moiat.gov.ae @MOIAT

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Sediments, Sludge and Soil	Phosphorus	APHA 3120B, 24th Edition US EPA 3050 Rev 2 Dec 1996 EPA200.7:1994 ISO 11466:1995 BS ISO 11464:2006 Documented in-house method EL-M-OP-CH-DXB-MD112 Iss4,Mar26	P
Chemical	Sediments, Sludge and Soil	Potassium	APHA 3120B, 24th Edition US EPA 3050 Rev 2 Dec 1996 EPA200.7:1994 ISO 11466:1995 BS ISO 11464:2006 Documented in-house method EL-M-OP-CH-DXB-MD112 Iss4,Mar26	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Øµ Ø¯Ø§Ø¦Ù„Ø©Ø±Ù‰ Ù‚Ù„Ø§ ØªØØªØ§Ø¬ Ø§Ù„Ù‰ Ø®ØªÙ… Ø£Ù‚ Ø§Ùˆ Ø£Ù‚Ù‰Ø¹ Ø£Ù‚ Ùƒ Ø£Ù‚ Ø§Øºà ŠÙŠØ± ÙŠÙ‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Ù„Ù„Øº.§´Ù‡Ø§Ø¯Ø© ÙŠÙ„Øºà ŠÙ‡Ø

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Sediments, Sludge and Soil	Selenium	APHA 3120B, 24th Edition US EPA 3050 Rev 2 Dec 1996 EPA200.7:1994 ISO 11466:1995 BS ISO 11464:2006 Documented in-house method EL-M-OP-CH-DXB-MD112 Iss4,Mar26	P
Chemical	Sediments, Sludge and Soil	Sodium	APHA 3120B, 24th Edition US EPA 3050 Rev 2 Dec 1996 EPA200.7:1994 ISO 11466:1995 BS ISO 11464:2006 Documented in-house method EL-M-OP-CH-DXB-MD112 Iss4,Mar26	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Øµ Ø¯Ø±Ø¬Ø© Ø¥Ù„ÙƒØªØ±ÙˆÙ†ÙŠØ© ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ø¥Ù„Ù‰ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹ Ø£Ùˆ Ø¥Ø°Ø· Ø£Ùˆ ØªØºÙŠÙŠØ± Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© .Ø´Ù‡Ø§Ø¯Ø© Ù„Ø§ØºÙŠÙ‡Ø§

Ù‡Ø§Ø¨Ù 600565554 TEL Øµ.Ø¨. 48666 P.O.BOX |Ø£Ø¨Ùˆ Ø¸Ø¨Ùˆ Ø¯Ø¨Ùˆ Ø§Ù„Ø¥Ø§Ø±Ø§Øª Ø§Ù„Ø¹Ø±Ø¨ÙŠØ© Ø§Ù„Ù…ØªØØ¯Ø©
Abu Dhabi, Dubai, United Arab Emirates
600565554 www.moiat.gov.ae @MOIAT

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Sediments, Sludge and Soil	Silver	APHA 3120B, 24th Edition US EPA 3050 Rev 2 Dec 1996 EPA200.7:1994 ISO 11466:1995 BS ISO 11464:2006 Documented in-house method EL-M-OP-CH-DXB-MD112 Iss4,Mar26	P
Chemical	Sediments, Sludge and Soil	Strontium	APHA 3120B, 24th Edition US EPA 3050 Rev 2 Dec 1996 EPA200.7:1994 ISO 11466:1995 BS ISO 11464:2006 Documented in-house method EL-M-OP-CH-DXB-MD112 Iss4,Mar26	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Øµ Ø¯Ø§Ø¦Ù„Ø©Ø±Ù‚Ù…ÙŠØ© ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ø¥Ù„Ù‰ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹ Ø£Ùˆ Ø¥Ø°Ø§ ØªÙ… Ø£ÙŠ ØªØºÙŠÙŠØ± Ø¹Ù„Ù‰ Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Ø³ØªÙƒÙˆÙ† Ø¨Ø§Ø·Ù„Ø©.

Ù‡Ø§ØªÙ 600565554 TEL Øµ.Ø¨. 48666 P.O.BOX |Ø£Ø¨ÙˆØ¸Ø¨ÙŠ Ø¯Ø¨ÙŠ Ø§Ù„Ø¥Ù…Ø§Ø±Ø§Øª Ø§Ù„Ø¹Ø±Ø¨ÙŠØ© Ø§Ù„Ù…ØªØØ¯Ø©
Abu Dhabi, Dubai, United Arab Emirates
600565554 www.moiat.gov.ae @MOIAT

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Sediments, Sludge and Soil	Thallium	APHA 3120B, 24th Edition US EPA 3050 Rev 2 Dec 1996 EPA200.7:1994 ISO 11466:1995 BS ISO 11464:2006 Documented in-house method EL-M-OP-CH-DXB-MD112 Iss4,Mar26	P
Chemical	Sediments, Sludge and Soil	Tin	APHA 3120B, 24th Edition US EPA 3050 Rev 2 Dec 1996 EPA200.7:1994 ISO 11466:1995 BS ISO 11464:2006 Documented in-house method EL-M-OP-CH-DXB-MD112 Iss4,Mar26	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Øµ Ø¯Ø±Ø¬Ø© Ø¥Ù„ÙƒØªØ±ÙˆÙ†ÙŠØ© ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ø¥Ù„Ù‰ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹. Ø£Ù‰ ØªØºÙŠÙŠØ± Ø£Ùˆ Ø¥Ø²Ø§Ù„Ø© Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Ø³ÙŠØ¤Ø¯ÙŠ Ø¥Ù„Ù‰ Ø¥Ù„ØºØ§Ø¦Ù‡Ø§.

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Sediments, Sludge and Soil	Titanium	APHA 3120B, 24th Edition US EPA 3050 Rev 2 Dec 1996 EPA200.7:1994 ISO 11466:1995 BS ISO 11464:2006 Documented in-house method EL-M-OP-CH-DXB-MD112 Iss4,Mar26	P
Chemical	Sediments, Sludge and Soil	Vanadium	APHA 3120B, 24th Edition US EPA 3050 Rev 2 Dec 1996 EPA200.7:1994 ISO 11466:1995 BS ISO 11464:2006 Documented in-house method EL-M-OP-CH-DXB-MD112 Iss4,Mar26	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Øµ Ø¯Ø§Ø¹Ù‰ Ù‡Ø¥Ù„Ù‰ Ø§Ù„Ø¥Ø¨Ù„Ø§Øº Ø¹Ù† Ø£Ù‰ Ø¹Ø¯Ù„ Ø£Ù‰ Ø¹Ø¯Ù„ Ø£Ù‰ Ø¹Ø¯Ù…Ø§Ù‡ Ù‡Ø° Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Ù‡Ù„Ø§Ø¯Ø© Ù‡Ø§Ù„Ø¥Ø¨Ù„Ø§Øº Ø¹Ù†

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Chemical	Sediments, Sludge and Soil	Zinc	APHA 3120B, 24th Edition US EPA 3050 Rev 2 Dec 1996 EPA200.7:1994 ISO 11466:1995 BS ISO 11464:2006 Documented in-house method EL-M-OP-CH-DXB-MD112 Iss4,Mar26	P
Biological	Water/Waste Water	Total Bacterial count (Heterotrophic Plate count)	APHA 9215B, 24th edition	P
Biological	Water/Waste Water	Total Coliform	APHA 9222B, 24th edition	P
Biological	Water/Waste Water	Total Coliform	APHA 9223B, 24th edition	P
Biological	Water/Waste Water	E. coli	APHA 9223B, 24th edition	P
Biological	Water/Waste Water	Fecal Coliform	APHA 9222D, 24th edition	P
Biological	Water/Waste Water	Fecal Streptococci	BS EN ISO 7899-2:2000	P
Biological	Water/Waste Water	Enterococci	APHA 9230D, 24th edition	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Øµ Ø¯Ø¹Ø¤Ù„Ø§Ø±Ù‡Ø§ Ù„Ø§ ØªØØªØ§Ø¬ Ø¥Ù„Ù‰ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹ Ø£Ùˆ Ø¥Ø·Ø§Ø± Ø§Ù„Ø¹Ù…Ù„ Ø£Ùˆ Ø¹Ø¬Ù„Ø©

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Biological	Water (Raw, Potable, Process)	Detection and Enumeration of Legionella	ISO 11731:2017	P
Biological	Food	Total Bacterial Count	ISO 4833-1:2013 & A1:2022	P
Biological	Food	E.coli	ISO 7251:2005	P
Biological	Food	Bacillus Cereus	ISO 7932:2004 & A1:2023 Identification by US FDA BAM Chapter 14-10/2020	P
Biological	Food	Staphylococcus aureus	ISO 6888-1:2021 & A1:2023	P
Biological	Food	Detection of Salmonella	ISO 6579-1:2017 & A1: 2020	P
Biological	Food	Yeast	MFHPB 22: April 2018	P
Biological	Food	Mould	MFHPB 22: April 2018	P
Biological	Food	Detection of Vibrio cholerae	ISO 21872-1:2017	P
Biological	Food	Detection of Vibrio parahaemolyticus	ISO 21872-1:2017	P
Biological	Food	Enumeration of Enterobacteriaceae	ISO 21528-2:2017	P

Uncontrolled If Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

MOIAT

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Øµ Ø¯Ø±Ø¬Ø© Ø¥Ù„ÙƒØªØ±Ù†ÙŠØ© ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ø¥Ù„Ù‰ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹. Ø£ÙŠ ØªØºÙŠÙŠØ± ÙŠÙŠ Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Ø³ÙŠÙ„ØºÙŠ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø©.

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Biological	Food	Detection of Listeria species including Listeria monocytogenes	ISO 11290-1:2017	P
Biological	Food	Enumeration of Clostridium perfringens	ISO 15213-2:2023	P
Biological	Food & Swab	Enumeration of Aerobic Plate Count	AOAC OMA 990.12:2002, 3M Petrifilm method	P
Biological	Food & Swab	Enumeration of Coliforms	AOAC OMA 991.14:2002, 3M Petrifilm method	P
Biological	Food & Swab	Enumeration of E.coli	Selective E.coli, 3M Petrifilm method	P
Biological	Food & Swab	Enumeration of Staphylococcus aureus	AOAC OMA 2003.7:2006, 2003.8:2003 & 2003.11:2007, 3M Petrifilm method	P
Biological	Food & Swab	Enumeration of Enterobactericeae	AOAC OMA 2003.01:2006, 3M Petrifilm method	P
Biological	Food & Swab	Enumeration of Yeast & Moulds	AOAC OMA 997.02:2002, 3M Petrifilm method	P

Uncontrolled if Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

MOIAT

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Øµ Ø¯Ø±Ø¬Ø© Ø¥Ù„ÙƒØªØ±Ù†ÙŠØ© ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ø¥Ù„Ù‰ Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹. Ø£Ù‰ ØªØºÙŠÙŠØ± Ø£Ùˆ Ø¥Ø²Ø§Ù„Ø© Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Ø³ÙŠØ¤Ø¯ÙŠ Ø¥Ù„Ù‰ Ø¥Ù„ØºØ§Ø¦Ù‡Ø§.

Ù‡Ø§Ù 600565554 TEL Øµ.Ø¨. 48666 P.O.BOX |Ø£Ø¨Ùˆ Ø¸Ø¨ÙŠØŒ Ø¯Ø¨ÙŠØŒ Ø§Ù„Ø¥Ù…Ø§Ø±Ø§Øª Ø§Ù„Ø¹Ø±Ø¨ÙŠØ© Ø§Ù„Ù…ØªØØ¯Ø©
Abu Dhabi, Dubai, United Arab Emirates
600565554 www.moiat.gov.ae @MOIAT

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 16/10/2026 **Expiry Date: 21/02/2028**
Issue No: 3

Biological	Air	Air sampling & Enumeration of Total Bacterial Count in indoor/outdoor air	NIOSH Method 800:1998 using air sampler	S
Biological	Air	Air sampling & Enumeration of Yeast & Moulds in indoor/outdoor air	IESO 1220:2003 using air sampler	S
Biological	Water	Pseudomonas aeruginosa	BS EN ISO 16266:2008	P
Biological	Water/ Waste Water	E.coli	APHA 9222 I, 24th Edition	P
Biological	Water & Wastewater	Coliforms & E.coli	ISO 9308-1:2014/Amd 1:2016	P
Biological	Water & Wastewater	Enumeration of Enterococci (Fecal Streptococci)	APHA 9230B 24th Edition	P
Biological	Food & Swab	Enumeration of Bacillus cereus	Compact Dry method - EL-M-OP-MIC-DXB-MD068	P
END				

Uncontrolled Printed

This is an electronic certificate and does not require stamp and signature. Certificate will be invalid in case of any modification.

Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Øµ Ø¯Ø±Ø¬Ø© Ø¥Ù„ÙƒØªØ±ÙˆÙ†ÙŠØ§Ù‹ ÙˆÙ„Ø§ ØªØØªØ§Ø¬ Ù„Ø®ØªÙ… Ø£Ùˆ ØªÙˆÙ‚ÙŠØ¹. Ø£ÙŠ ØªØºÙŠÙŠØ± Ù‡Ø°Ù‡ Ø§Ù„Ø´Ù‡Ø§Ø¯Ø© Ø³ÙŠÙ„ØºÙŠ ØµÙ„Ø§ØÙŠØªÙ‡Ø§.

Ù‡Ø§Ù‡ 600565554 TEL Øµ.Ø¨. 48666 P.O.BOX |Ø£Ø¨Ùˆ Ø¸Ø¨ÙŠØŒ Ø¯Ø¨ÙŠØŒ Ø§Ù„Ø¥Ù…Ø§Ø±Ø§Øª Ø§Ù„Ø¹Ø±Ø¨ÙŠØ© Ø§Ù„Ù…ØªØØ¯Ø©
Abu Dhabi, Dubai, United Arab Emirates
600565554 www.moiat.gov.ae @MOIAT