SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017

ELEMENT MATERIALS TECHNOLOGY FREMONT NEWARK
41039 Boyce Road
Fremont, CA 94538
Mr. Zach Keyser Phone: 510-578-3500
Email: zach.keyser@element.com

ELECTRICAL

Valid to: September 30, 2027 Certificate Number: 0214.26

In recognition of the successful completion of the A2LA evaluation process accreditation is granted to this laboratory listed above, ***as well as the two satellite laboratories listed below***, to perform the following electromagnetic compatibility, NEBS, radio, wireless, telecom and energy producing/measuring devices, and product safety tests:

| **Test:** | **Test Method(s) [1]:** |
|---|---|
| **Emissions** | |
| Radiated & Conducted (3, 5, & 10 meter semi-anechoic chambers) | 47 CFR (FCC Rules) Part 15B (using ANSI C63.4:2014);<br>47 CFR (FCC Rules) Part 18 (using FCC MP-5:1986);<br>EN 55011; KS C 9811; CISPR 11;<br>AS/NZS CISPR 11; BS EN 55011;<br>ICES-001; KS C 9832 (*excluding Annex H*);<br>EN 55032 (*excluding Annex H*);<br>CISPR 32 (*excluding Annex H*);<br>AS/NZS CISPR 32 (*excluding Annex H*);<br>BS EN 55032 (*excluding Annex H*);<br>ICES-003;<br>CNS 15936:2016 (*excluding Annex H*);<br>VCCI-CISPR 32:2016 (*excluding Annex H*);<br>ICES-005; ICES-006;<br>SI 961 Part 32; IFT-008-2015;<br>QCVN 118:2018/BTTT |
| Current Harmonics | EN IEC 61000-3-2; IEC 61000-3-2;<br>KS C 9610-3-2; AS/NZS 61000-3-2; BS EN 61000-3-3;<br>UNECE Regulation 10, Revision 6, Electronic Sub-assemblies (ESA), Sections 7.11, 7.12 |
| Voltage Fluctuations | EN 61000-3-3; IEC 61000-3-3;<br>KS C 9610-3-3; AS/NZS 61000-3-3; BS EN 61000-3-3 |
| **Immunity** | |
| Electrostatic Discharge (ESD) | EN 61000-4-2; IEC 61000-4-2; KS C 9610-4-2 |
| Radiated Immunity | EN 61000-4-3; IEC 61000-4-3; KS C 9610-4-3 |

Uncontrolled If Printed



5202 Presidents Court, Suite 220 | Frederick, MD 21703-8515 | Phone: 301 644 3248 | Fax: 240 454 9449 | www.A2LA.org

| **Test:** | **Test Method(s) [1]:** |
|---|---|
| Electrical Fast Transient/Burst | EN 61000-4-4; IEC 61000-4-4; KS C 9610-4-4;<br>UNECE Regulation 10, Revision 6, Electronic Sub-assemblies (ESA), Section 7.15 |
| Surge Immunity | EN 61000-4-5; IEC 61000-4-5; KS C 9610-4-5;<br>UNECE Regulation 10, Revision 6, Electronic Sub-assemblies (ESA), Section 7.16 |
| Conducted Immunity | EN 61000-4-6; IEC 61000-4-6; KS C 9610-4-6 |
| Power Frequency Magnetic Field Immunity | EN 61000-4-8; IEC 61000-4-8; KS C 9610-4-8 |
| Pulse Magnetic Field Immunity | EN 61000-4-9; IEC 61000-4-9 |
| Damped Oscillatory Magnetic Field Immunity | EN 61000-4-10; IEC 61000-4-10 |
| Voltage Dips, Short Interruptions, and Line Voltage Variations | EN 61000-4-11; IEC 61000-4-11;<br>KS C 9610-4-11 |
| Ring Wave Immunity | EN 61000-4-12; IEC 61000-4-12 |
| Immunity to conducted, common mode disturbances in the frequency range 0 Hz to 150 kHz | EN 61000-4-16;<br>IEC 61000-4-16 (*excluding test levels above 30V*) |
| Ripple on D.C. Input Power Port Immunity | EN 61000-4-17; IEC 61000-4-17 |
| Damped Oscillatory Surge Immunity | EN 61000-4-18; IEC 61000-4-18 |
| Radiated fields in close proximity - Immunity test 9 kHz to 26 MHz. | EN IEC 61000-4-39; IEC 61000-4-39 |
| **Generic and Product Family Standards** | IEEE 1613; IEC 60533; IEC 61850-3;<br>BS EN 61850-3;<br>IEEE 37.90.1; IEC 60092-504 (Section 5: Table 1, Items 4a, 4b, 5, 11a & 11b only);<br>EN 61000-6-1; IEC 61000-6-1; BS EN 61000-6-1;<br>KS C 9610-6-1; EN 61000-6-2; IEC 61000-6-2;<br>BS EN 61000-6-2; KS C 9610-6-2;<br>EN 61000-6-3; IEC 61000-6-3; BS EN 61000-6-3;<br>KS C 9610-6-3; AS/NZS 61000.6.3;<br>UNECE Regulation 10, Revision 6, Electronic Sub-assemblies (ESA), Sections 7.13, 7.14;<br>EN 61000-6-4; IEC 61000-6-4; BS EN 61000-6-4<br>KS C 9610-6-4; AS/NZS 61000.6.4; IEC 61000-6-5;<br>EN 61000-6-5;<br>EN 50121-1; BS EN 50121-1; EN 50121-3-2;<br>BS EN 50121-3-2; EN 50121-4; BS EN 50121-4; |

Uncontrolled If Printed

| Test: | Test Method(s) [1]: |
|---|---|
| **Generic and Product Family Standards (cont.)** | IEC 62236-4;<br>EN 50155; EN 55013; KN 13;<br>EN 55020 (only for audio/video equipment without tuner);<br>KN 20 (only for audio/video equipment without tuner);<br>EN 50130-4; EN 55014-1 (*excluding click measurement*);<br>CISPR 14-1 (*excluding click measurement*);<br>KS C 9814-1 (*excluding click measurement*);<br>CISPR 14-2; KS C 9814-2; EN 55014-2;<br>EN 55103-1; EN 55103-2;<br>CISPR 35 (*excluding Annexes A, D, F.4, G*);<br>KS C 9835 (*excluding Annexes A, D, F.4, G*);<br>EN 55035(*excluding Annexes A, D, F.4, G*);<br>BS EN 55035(*excluding Annexes A, D, F.4, G*);<br>SI 961 Part 35 (*excluding Annexes A, D, F.4, G*);<br>EN 61326-1; IEC 61326-1;<br>EN IEC 61326-1; BS EN 61326-1;<br>BS EN IEC 61326-1; IEC 61326-2-1; EN 61326-2-1;<br>EN IEC 61326-2-1; BS EN 61326-2-1; BS EN IEC 61326-2-1;<br>IEC 61326-2-3; EN 61326-2.3; EN IEC 61326-2-1;<br>BS EN 61326-2-3; BS EN IEC 61326-2-3; EN 61326-2-6;<br>BS EN IEC 61326-2-6; IEC 61326-3-1; EN 61326-3-1;<br>BS EN 61326-3-1;<br>IEC 60601-1-2; EN 60601-1-2; KS C IEC 60601-1-2;<br>IEC TS 60601-4-2;<br>EN 60601-2-2 (Section 202 only);<br>EN 60601-2-10 (Section 202 only);<br>EN 60601-2-18 (Section 202 only);<br>EN 60601-2-22 (Section 201.17 only);<br>EN 60601-2-24 (Section 202 only);<br>AS/NZS 3200.1.2; ISO 15197 (Section 6.4 only);<br>EN 301 437; EN 300 386; BS EN 300 386; EN 301 449 (4.2.2.2.2, 4.2.2.2.3, 4.2.3, 4.2.4, 4.2.5, 4.2.6, and 4.2.7 only);<br>EN 300 132-2; EN 300 132-3;<br>EU-ITU-T: K.20 (except 2.1.5, 2.1.6, 2.2 above 600V, 4.2 above 600V, 5.1.2 & 5.2.2 above 600V), K.21 (except 2.1.5, 2.1.6, 2.2 above 600V, 4.1.5, 4.2 above 600V, and 5.1.2 & 5.2.2 above 600V);<br>British Telecommunications Standard GS7;<br>Deutsche Telekom EMC Specification 1 TR 9;<br>ANATEL Resolution 442;<br>Enforcement Decree of MSIT NO. 1, July 26, 2017; |
| **Network Equipment Building Systems (NEBS)** | Telcordia GR-1089-CORE, (Sections 1, 2, 3, 4 (*excluding 4.6.1.3.2 and 4.6.2.1.2.2A*), 7, 9, and 10 only);<br>ATIS-0600315.01 |
| **Network Equipment and Power Grounding, Environmental, and Physical Design Requirements** | AT&T ATT-TP-76200 (*excluding Section 2.7*) |

Uncontrolled When Printed

| Test: | Test Method(s) [1]: |
|---|---|
| **Automotive EMC** | |
| Radiated & Conducted Emissions | CISPR 25 (sections 6.3, 6.4, 6.5 only);<br>UNECE Regulation 10, Revision 6, Electronic Sub-assemblies (ESA), Sections 6.5, 6.6, 7.10 |
| Radiated Immunity (ALSE) | ISO 11452-2; ISO 13766-1;<br>ISO 13766-2; ISO 14982;<br>UNECE Regulation 10, revisions 6, electronic Sub-assemblies (ESA), Section 6.8 |
| Bulk current injection (BCI) | ISO 11452-4 (*excluding TWC method*); ISO 13766-1;<br>ISO 13766-2;<br>UNECE Regulation 10, Revision 6, Electronic Sub-assemblies (ESA), Section 6.8, 7.18 (*excluding Stripline method*) |
| Direct RF Power Injection | ISO 11452-7 |
| Immunity to Magnetic Fields | ISO 11452-8 |
| Portable Transmitter | ISO 11452-9 |
| Immunity to Conducted Disturbances in the Extended Audio Frequency Range | ISO 11452-10 |
| ESD | ISO 10605 (*excluding clause 10 vehicle test method*);<br>ISO 13766-1; ISO 13766-2;<br>ISO 14982 |
| Conducted Transient Immunity | ISO 7637-2; ISO 7637-3; ISO 13766-1; ISO 13766-2 |
| Broadband & Narrowband Emissions | ISO 14982; ISO 16750-2;<br>UNECE Regulation 10, Revision 6, Electronic Sub-assemblies (ESA), Sections 6.7, 6.9, 7.17, 7.19 |
| **Wireless**<br>**(Excluding HAC & SAR)** | ANSI/TIA 603-E; EN 300-113; EN 300 220-1; EN 300 220-2;<br>EN 300 220-3; EN 300 220-4; EN 300 328; EN 300 330;<br>EN 300 440; EN 300 761-1; EN 300 761-2; EN 301-357;<br>EN 301 839; EN 301 893; EN 301 489-1 to -6; EN 301 489-9;<br>EN 301 489-12; EN 301 489-13; EN 301 489-15;<br>EN 301 489-17; EN 301 489-19; EN 301 489-20;<br>EN 301 489-22; EN 301 489-27 to -29; EN 301 489-31;<br>EN 301 489-33 to -35; EN 301 489-50, EN 301 489-51;<br>EN 301 489-52; EN 301 489-53; EN 301 908-1; EN 303 413;<br>EN 303 454; ETSI ES 201 468; ES 203 021; BS 301 489-1;<br>BS EN 301 489-34; KS X 3124; KS X 3125; KN 301 489-7;<br>KS X 3126; KS X 3129; KN 301 489-24; KS X 3134;<br>EN 302 208; EN 302 291; EN 302 502;<br>AS/NZS 4268; NOM-121-SCTI-2009;<br>LP0002 February 2024 (*excluding sections 4.11 [10,500-10.550 GHz and 24.075-24.175 GHz frequency bands], 4.13, 4.14, 4.15, 5.13, and 6.20*); |

Uncontrolled If Printed

| Test: | Test Method(s) [1]: |
|---|---|
| **Wireless (Excluding HAC & SAR) (cont.)** | KS X 3123; KS X 3143;<br>QCVN 18:2014/BTTTT; QCVN 47:2015/BTTTT;<br>QCVN 55:2023/BTTTT; QCVN 73:2013/BTTTT;<br>QCVN 74:2020/BTTTT; QCVN 88:2015/BTTTT;<br>QCVN 94:2015/BTTTT; QCVN 95:2015/BTTTT;<br>QCVN 96:2015/BTTTT; QCVN 54:2020/BTTTT;<br>QCVN 65:2021/BTTTT; TCN 68.242:2006;<br>ANATEL Resolution 506 |
| **Industry Canada Radio Standards Specifications (RSS) in Category I Equipment Standards List, up to 200 GHz (Excluding HAC & SAR)** | RSS-GEN; RSS-111; RSS-112; RSS-117; RSS-119; RSS-123;<br>RSS-125; RSS-127; RSS-130; RSS-131; RSS-132; RSS-133;<br>RSS-134; RSS-135; RSS-137; RSS-139; RSS-140; RSS-141;<br>RSS-142; RSS-170; RSS-192; RSS-194; RSS-195; RSS-196;<br>RSS-197; RSS-198; RSS-199 (using ANSI C63.26:2015);<br>RSS-210; RSS-215; RSS-216; RSS-236; RSS-243; RSS-244;<br>RSS-246; RSS-247;<br>RSS-248 (using ANSI C63.10-2020+Cor.1-2023,<br>ANSI C63.10-2020+Cor. 1-2023+C63.10a-2024);<br>RSS-310;<br>ANSI C63.30-2021 (*excluding Large Loop Antenna System, section 4.5.2.3*) |
| **Intentional and Unintentional Radiators to FCC Regulations, up to 200 GHz (Excluding HAC & SAR)** | 47 CFR (FCC Rules) Part 11;<br>47 CFR (FCC Rules) Part 15B (using ANSI C63.4:2014);<br>47 CFR (FCC Rules) Part 15C (using ANSI C63.10:2013 or ANSI C63.10-2020 and ANSI C63.10a-2024);<br>47 CFR (FCC Rules) Part 15D (using ANSI C63.17:2013);<br>47 CFR (FCC Rules) Part 15E (using ANSI C63.10:2013 or ANSI C63.10-2020 and ANSI C63.10a-2024, FCC KDB 905462 D02 (v02));<br>47 CFR (FCC Rules) Part 15F/G/H (using ANSI C63.10:2013 or ANSI C63.10-2020 and ANSI C63.10a-2024);<br>ANSI C63.30-2021 (*excluding Large Loop Antenna System, section 4.5.2.3*);<br>47 CFR (FCC Rules) Part 18 (using FCC MP-5:1986);<br>47 CFR (FCC Rules) Part 20 (signal boosters) (using ANSI C63.26:2015);<br>47 CFR (FCC Rules) Parts 20, 22 (cellular and non-cellular), 24, 25, 27, 30, 74, 80, 87, 90, 95, 96, 97 and 101 (using ANSI/TIA 603-E, TIA-102.CAAA-E, and ANSI C63.26:2015) |

Uncontrolled When Printed

**38995 Cherry Street**
**Newark, CA 94560**

| **Test:** | **Test Method(s) [1]:** |
|---|---|
| **Energy Efficiency Tests** | ATIS-0600015.2018 (R2023) Energy Efficiency for Telecommunication Equipment: Methodology for Measurement and Reporting General Requirements;<br><br>ATIS-0600015.02.2016 (R2021) Energy Efficiency for Telecommunication Equipment: Methodology for Measurement and Reporting –Transport & Optical Access Requirements;<br><br>ATIS-0600015.03.2023 Energy Efficiency for Telecommunication Equipment Methodology for Measurement and Reporting for Router and Ethernet Switch Products;<br><br>ATIS-0600015.01.2021 Energy Efficiency for Telecommunication Equipment: Methodology for Measurement and Reporting – Server Requirements;<br><br>ATIS-0600015.11.2016 (R2021) Energy Efficiency for Telecommunication Equipment: Methodology for Measurement and Reporting DC/DC Converter Requirements |

**324 N. Mary Avenue**
**Sunnyvale, CA 94086**

| **Test:** | **Test Method(s) [1]:** |
|---|---|
| **Emissions**<br>Radiated and Conducted<br>(5 meter Semi-anechoic Chambers) | 47 CFR (FCC Rules) Part 15B (using ANSI C63.4:2014);<br>EN 55011; BS EN 55011; KS C 9811; CISPR 11;<br>AS/NZS CISPR 11;<br>ICES-001; ICES-003; ICES-005; ICES-006;<br>VCCI V-3 (up to 6 GHz); VCCI-CISPR 32;<br>QCVN 118:2018/BTTTT;<br>CNS 15936 (2016) (*excluding Annex H*);<br>EN 55032 (*excluding Annex H*);<br>CISPR 32 (*excluding Annex H*);<br>AS/NZS CISPR 32 (*excluding Annex H*);<br>BS EN 55032 (*excluding Annex H*);<br>KS C 9832 (*excluding Radiated Emissions below 1 GHz*) |
| Current Harmonics | EN IEC 61000-3-2; IEC 61000-3-2; KS C 9610-3-2;<br>BS EN IEC 61000-3-2; IEC 61000-3-11; EN 61000-3-11;<br>KS C 9610-3-11 |

Uncontrolled if Printed

| Test: | Test Method(s) [1]: |
|---|---|
| **Emissions (cont.)** | |
| Voltage Fluctuations | EN 61000-3-3; IEC 61000-3-3; KS C 9610-3-3;<br>BS EN IEC 61000-3-3; IEC 61000-3-12; EN 61000-3-12;<br>KS C 9610-3-12 |
| **Immunity** | |
| Electrostatic Discharge (ESD) | EN 61000-4-2; IEC 61000-4-2; KS C 9610-4-2 |
| Radiated Immunity | EN 61000-4-3; IEC 61000-4-3; KS C 9610-4-3 |
| Electrical Fast Transient/Burst | EN 61000-4-4; IEC 61000-4-4; KS C 9610-4-4 |
| Surge Immunity | EN 61000-4-5; IEC 61000-4-5; KS C 9610-4-5 |
| Conducted Immunity | EN 61000-4-6; IEC 61000-4-6; KS C 9610-4-6 |
| Voltage Dips and Interrupts | EN 61000-4-11; IEC 61000-4-11; KS C 9610-4-11 |
| **Generic and Product Family Standards** | CISPR 35 (only Annexes F.1 – F.3);<br>KS C 9835 (only Annexes F.1 – F.3);<br>BS EN 55035 (only Annexes F.1 – F.3);<br>EN 300 386; BS EN 300 386;<br>CISPR 24; EN 55024; BS EN 55024; TCVN 7317;<br>EN 61000-6-1; KS C 9610-6-1;<br>AS/NZS 61000-6-1; BS EN IEC 61000-6-1;<br>EN 61000-6-2; KS C 9610-6-2;<br>AS/NZS 61000-6-2; BS EN IEC 61000-6-2;<br>EN 61000-6-3; KS C 9610-6-3 (*excluding 30-1000 MHz*);<br>AS/NZS 61000-6-3; BS EN IEC 61000-6-3;<br>EN 61000-6-4; KS C 9610-6-4 (*excluding 30-1000 MHz*);<br>AS/NZS 61000-6-4; BS EN 61000-6-4;<br>IEC 61000-6-5; EN 61000-6-5; BS EN 61000-6-5 |
| **Network Equipment Building Systems (NEBS)** | Telcordia GR-1089-CORE, Sections 1, 2, 3, 4.1 to 4.3, 4.5, 4.6, 4.7 (*excluding AC Power Fault*), 7, 9, and 10 |
| **Generic and Product Family Standards** | British Telecommunications Standard GS7;<br>Deutsche Telekom EMC Specification 1 TR 9;<br>EN 50121-1; BS EN 50121-1; EN 50121-4; BS EN 50121-4;<br>IEEE 1613; IEC 62236-4;<br>IEC 61850-3 (*excluding magnetic immunity*) |
| **Energy Efficiency Tests** | ATIS 0600015: 2018 (R2023) Energy Efficiency for Telecommunication Equipment: Methodology for Measurement and Reporting General Requirements;<br><br>ATIS 0600015.03.2023 Energy Efficiency for Telecommunication Equipment: Methodology for Measurement and Reporting for Router and Ethernet Switch Products |

Uncontrolled When Printed

| Test: | Test Method(s) [1]: |
|---|---|
| **Energy Efficiency Tests (cont.)** | ATIS-0600015.02.2016 (R2021) Energy Efficiency for Telecommunication Equipment: Methodology for Measurement and Reporting –Transport & Optical Access Requirements |

**On the following types of equipment:**
Telecommunications Terminal Equipment (TTE); Network Equipment; Information Technology Equipment (ITE); Medical Electrical Equipment; Industrial, Commercial, and Medical Test Equipment; Professional Audio and Video Equipment; Radio Equipment; Electronic (Digital) Products; Industrial and Scientific Instruments; Cabled Distribution Systems, Automotive.

[1] When the date, edition, version, etc. is not identified in the scope of accreditation, laboratories may use the version that immediately precedes the current version for a period of one year from the date of publication of the standard measurement method, per Annex A, Part C of A2LA *R101 - General Requirements: Accreditation of Conformity Assessment Bodies.*

Testing Activities Performed in Support of FCC Certification in Accordance with 47 Code of Federal Regulations and FCC KDB 974614, Appendix A, Table A.1:

| Rule Subpart/Technology | Test Method | Maximum Frequency (MHz) |
|---|---|---|
| Unintentional Radiators<br>Part 15B | ANSI C63.4:2014 | 40000 |
| Industrial, Scientific, and Medical Equipment<br>Part 18 | FCC MP-5 (February 1986) | 40000 |
| Intentional Radiators<br>Part 15C | ANSI C63.10-2020 | 200000 |
| Unlicensed Personal Communication Systems Devices<br>Part 15D | ANSI C63.17:2013 | 40000 |
| U-NII without DFS Intentional Radiators<br>Part 15E | ANSI C63.10-2020 | 40000 |
| U-NII with DFS Intentional Radiators<br>Part 15E | FCC KDB 905462 D02 (v02) | 40000 |
| UWB Intentional Radiators<br>Part 15F | ANSI C63.10-2020 | 200000 |
| BPL Intentional Radiators<br>Part 15G | ANSI C63.10-2020 | 200000 |

Uncontrolled If Printed

Testing Activities Performed in Support of FCC Certification in Accordance with 47 Code of Federal Regulations and FCC KDB 974614, Appendix A, Table A.1:

| **Rule Subpart/Technology** | **Test Method** | **Maximum Frequency (MHz)** |
|---|---|---|
| White Space Device Intentional Radiators<br>Part 15H | ANSI C63.10-2020 | 200000 |
| Commercial Mobile Services<br>(FCC Licensed Radio Service Equipment)<br>Parts 22 (cellular), 24, 25 (below 3 GHz), and 27 | ANSI/TIA-603-E;<br>TIA-102.CAAA-E;<br>ANSI C63.26:2015 | 40000 |
| General Mobile Radio Services<br>(FCC Licensed Radio Service Equipment)<br>Parts 22 (non-cellular), 90 (below 3 GHz), 95, 97 (below 3 GHz),<br>and 101 (below 3 GHz) | ANSI/TIA-603-E;<br>TIA-102.CAAA-E;<br>ANSI C63.26:2015 | 40000 |
| Citizens Broadband Radio Services<br>(FCC Licensed Radio Service Equipment)<br>Part 96 | ANSI/TIA-603-E;<br>TIA-102.CAAA-E;<br>ANSI C63.26:2015 | 200000 |
| Maritime and Aviation Radio Services<br>Parts 80 and 87 | ANSI/TIA-603-E;<br>TIA-102.CAAA-E;<br>ANSI C63.26:2015 | 200000 |
| Microwave and Millimeter Bands Radio Services<br>Parts 25 (above 3 GHz), 30, 74,<br>90 (above 3 GHz), 95 (above 3 GHz),<br>97 (above 3 GHz), and 101 | ANSI/TIA-603-E;<br>TIA-102.CAAA-E;<br>ANSI C63.26:2015 | 200000 |
| Signal Boosters (Part 20)<br>Wideband Consumer Signal Boosters<br>Provider-specific Signal Boosters<br>Industrial Signal Boosters<br>Signal Boosters (Section 90.219) | ANSI C63.26:2015 | 200000 |

Note: Accreditation does not imply acceptance to the FCC equipment authorization program. Please see the FCC website (https://apps.fcc.gov/oetcf/eas/) for a listing of FCC approved laboratories.

Uncontrolled If Printed

# Accredited Laboratory

A2LA has accredited

## ELEMENT MATERIALS TECHNOLOGY FREMONT NEWARK

*Fremont, CA*

for technical competence in the field of

## Electrical Testing

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017 *General requirements for the competence of testing and calibration laboratories*. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (*refer to joint ISO-ILAC-IAF Communiqué dated April 2017*).

Presented this 15th day of August 2025.

Mr. Trace McInturff, Vice President, Accreditation Services
For the Accreditation Council
Certificate Number 0214.26
Valid to September 30, 2027

*For the tests to which this accreditation applies, please refer to the laboratory's Electrical Scope of Accreditation.*

Uncontrolled if printed