

Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

 Accredited to ISO/IEC 17025:2017	Element Materials Technology Environmental UK Ltd Issue No: 092 Issue date: 25 July 2025 <table border="1"> <tr> <td> Unit 3 and Unit 6 Deeside Point Zone 3 Deeside Industrial Park Deeside CH5 2UA </td><td> Contact: Jenny Davies Tel: +44 (0)1244 833780 Fax: +44 (0)1244 833781 E-Mail: Jenny.davies@element.com Website: www.element.com </td></tr> </table>	Unit 3 and Unit 6 Deeside Point Zone 3 Deeside Industrial Park Deeside CH5 2UA	Contact: Jenny Davies Tel: +44 (0)1244 833780 Fax: +44 (0)1244 833781 E-Mail: Jenny.davies@element.com Website: www.element.com
Unit 3 and Unit 6 Deeside Point Zone 3 Deeside Industrial Park Deeside CH5 2UA	Contact: Jenny Davies Tel: +44 (0)1244 833780 Fax: +44 (0)1244 833781 E-Mail: Jenny.davies@element.com Website: www.element.com		
Testing performed at the above address only			

DETAIL OF ACCREDITATION

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
ASBESTOS IN BULK MATERIALS including materials and products suspected of containing asbestos ASBESTOS IN SOILS – The Identification of Asbestos fibres in bulk samples of Soil, <i>specifically: Soil</i> ASBESTOS IN SOILS – The Identification and Quantification of Asbestos fibres in bulk samples of Soil, <i>specifically: Soil</i>	<u>Health and Hygiene</u> Identification of: Amosite Chrysotile Crocidolite Fibrous Actinolite Fibrous Anthophyllite Fibrous Tremolite Identification of: Amosite Chrysotile Crocidolite Fibrous Actinolite Fibrous Anthophyllite Fibrous Tremolite Identification and Quantification of Asbestos content of: Amosite Chrysotile Crocidolite Fibrous Actinolite Fibrous Anthophyllite Fibrous Tremolite	Health and Safety Executive - Asbestos: The Analysts' Guide (HSG 248) – 2021 Documented In-House Method TM065 using stereo-microscopy, polarised light optical microscopy and dispersion staining based on HSG 248 Documented In-House Method PM042S and TM065 using stereo-microscopy, polarised light optical microscopy and dispersion staining based on HSG 248 Documented In-House Method PM042S and TM065 for identification using stereo-microscopy, polarised light optical microscopy and dispersion staining based on HSG 248. Documented In-House Method PM042S and TM131 for quantification of asbestos.



4225
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Environmental UK Ltd
Issue No: 092 Issue date: 25 July 2025

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
PETROLEUM and PETROLEUM PRODUCTS	<u>Chemical Tests</u> C5-C35 fingerprint (qualitative) and banding >C5-6 >C6-8 >C8-10 >C10-12 >C12-16 >C16-21 >C21-35 >C35 Aliphatic/aromatic fractionation and subsequent banding: Aliphatic bands: >C6-C8 >C8-C10 >C10-C12 >C12-C16 >C16-C21 >C21-C35 >C35+ Aromatic bands (equivalent carbon EC): >C6-C8 >C8-C10 >C10-C12 >C12-C16 >C16-C21 >C21-C35 >C35+	In-house method TM001P using GC-FID



4225
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Environmental UK Ltd
Issue No: 092 Issue date: 25 July 2025

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
AIR Ambient Air/Soil Vapour	Volatile Organic Compounds: 1,1,1-Trichloroethane 1,1,2,2-Tetrachloroethane 1,1,2-Trichloroethane 1,1-Dichloroethane 1,1-Dichloroethene 1,2,4-Trimethylbenzene 1,2-Dibromoethane 1,2-Dichlorobenzene 1,2-Dichloroethane 1,2-Dichloropropane 1,3,5-Trimethylbenzene 1,3-Dichlorobenzene 1,4-Dichlorobenzene Benzene Bromomethane Carbon Tetrachloride Chlorobenzene Chloroethane Chloroform cis-1,2-Dichloroethene cis-1,3-Dichloropropene Ethylbenzene m&p - Xylenes Methylene Chloride o-Xylene Styrene Tetrachloroethene Toluene trans-1,3-Dichloropropene Trichloroethene Trichlorofluoromethane Trichlorotrifluoroethane Vinyl Chloride	In-house test method TM068G using preparation method PM 034, using Summa (Silco-can) canisters, Tedlar Bags, Bottle Vac and GC-MS based on USEPA TO15.



4225
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Environmental UK Ltd
Issue No: 092 **Issue date:** 25 July 2025

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
AIR (cont'd) Ambient Air	Volatile Organic Compounds 100 to 5000 pptv [equivalent to 0.1 to 5 ppbv]: 1,1,1-Trichloroethane 1,1,2,2-Tetrachloroethane 1,1,2-Trichloroethane 1,1-Dichloroethane 1,1-Dichloroethene 1,2,4-Trimethylbenzene 1,2-Dibromoethane 1,2-Dichlorobenzene 1,2-Dichloroethane 1,2-Dichloropropane 1,3,5-Trimethylbenzene 1,3-Dichlorobenzene 1,4-Dichlorobenzene Benzene Bromomethane Carbon Tetrachloride Chlorobenzene Chloroethane Chloroform cis-1,2-Dichloroethene Ethylbenzene m&p - Xylenes Methylene Chloride o-Xylene Styrene Tetrachloroethene Toluene Trichloroethene Trichlorofluoromethane Trichlorotrifluoroethane Vinyl Chloride	In-house test method TM205 using Summa (Silco-can) canisters and GC-MS detection



4225
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Environmental UK Ltd
Issue No: 092 Issue date: 25 July 2025

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
ATMOSPHERIC POLLUTANTS Collected on desorption tubes Tenax ATD tubes	Chemical Tests Diethyl ether Hexane 1-Chlorobutane Benzene 1,1-Dichloropropene Chloroacetonitrile Trichloroethene Dibromomethane Methyl methacrylate Bromodichloromethane cis-1,3-dichloropropen Toluene trans-1,3-dichloroprop 1,1,2-Trichloroethane 1,3-Dichloropropane Ethyl methacrylate Dibromochloromethane 1,2-Dibromoethane Tetrachloroethylene Chlorobenzene 1,1,1,2-tetrachloroeth Ethylbenzene M/P Xylene Bromoform Styrene O Xylene 1,1,2,2-Tetrachloroeth 1,2,3-Trichloropropane trans-1,4-dichloro-2-b Bromobenzene 2-Chlorotoluene 1,3,5-Trimethylbenzene tert-Butyl benzene 1,2,4-Trimethylbenzene 1,3-Dichlorobenzene sec-Butylbenzene 1,4-Dichlorobenzene p-isopropyl toluene 1,2-Dichlorobenzene n-butyl benzene Hexachloroethane 1,2-dibromo-3-chloropr	In-house method TM 197G by Thermal Desorption GC-MS



4225
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Environmental UK Ltd
Issue No: 092 Issue date: 25 July 2025

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
ATMOSPHERIC POLLUTANTS Collected on desorption tubes (cont'd)	Chemical Tests (cont'd)	
Tenax ATD tubes	Nitrobenzene 1,2,4-Trichlorobenzene Naphthalene 1,2,3-Trichlorobenzene Hexachlorobutadiene	In-house method TM 197G by Thermal Desorption GC-MS
SOILS	<u>Chemical Tests</u>	
	Elements:	In-house method TM030S using PM 015S and PM 077S by ICP-OES
	Arsenic Barium Cadmium Chromium Cobalt Copper Lead Manganese Mercury Molybdenum Nickel Selenium Zinc	
	Water soluble boron	In-house method TM074 using PM 032 and PM 077S by ICP-OES
	Water Soluble Anions: Chloride Total Oxidised Nitrogen (TON) Sulphate	In-house method TM038 using PM 020S by discrete analyser
	Cyanide - Total	In-house method TM089W/S using PM 045S by segmented flow analysis



4225
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Environmental UK Ltd
Issue No: 092 Issue date: 25 July 2025

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
SOILS (cont'd)	<u>Chemical Tests (cont'd)</u> Gasoline Range Organics (GRO) and banding: >C4-C8 >C8-C12 >C5-C6 >C6-C8 >C8-C10 >C10-C12 Total GRO C4-C12 Total GRO C5-C12 MTBE benzene toluene ethylbenzene o-xylene m/p-xylene Also aliphatic/aromatic fractionation and subsequent banding: Aliphatic: >C5-C6 >C6-C8 Aromatic (equivalent carbon EC) >C6-C8 >C8-C10 Extractable petroleum hydrocarbons (EPH) in the range: C8-C40 Diesel range organics (DRO) C25-C40 range organics - lubricating oil	In-house method TM 036S using PM 012S, using headspace GC-FID In-house methods PM005S (orbital shaker) or PM006S (soxhlet extraction) or PM008S (end over end shake) followed by TM005S using GC-FID



4225
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Environmental UK Ltd
Issue No: 092 Issue date: 25 July 2025

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
SOILS (cont'd)	<u>Chemical Tests (cont'd)</u> Extractable petroleum hydrocarbons (EPH) in the range: >C8-C40, including banding: >C8-C10 >C10-C12 >C12-C16 >C16-C21 >C21-C35 Extractable petroleum hydrocarbons (EPH) including aliphatic/aromatic fractionation and subsequent banding: Aliphatic: >EC10 – EC12 >EC12 – EC16 >EC16 – EC21 Total aliphatics >C10-C40 Aromatic: >EC10 – EC12 >EC12 – EC16 >EC16 – EC21 Total aromatics >C10 – C40 Loss on ignition at 440 °C pH Total Sulphate BTEX Compounds benzene toluene ethylbenzene o-xylene m/p-xylene	In house methods PM008S (end over end shake) fractionation by SPE workstation PM016 followed by TM005S using GC-FID In-house method TM022S using PM 004S In house method TM073 using PM 011S using Metrohm robotic sample processor In-house method PM029S and PM 077 followed by TM050S using ICP-OES In House method TM152 including Methanol preservation (PM104) followed by Headspace GCMS



4225
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Environmental UK Ltd
Issue No: 092 Issue date: 25 July 2025

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
SOILS (cont'd)	<u>Chemical Tests (cont'd)</u> Polychlorinated Biphenyls (PCBs): PCB 28/31 PCB 52 PCB 101 PCB 118 PCB 138 PCB 153 PCB 180 PCB 81 PCB 87 PCB 123 PCB 114 PCB 105 PCB 126 PCB 167 PCB 156/157 PCB 169 PCB 189 Total PCBs (sum of above) Polycyclic Aromatic Hydrocarbons (PAHs): Naphthalene Acenaphthene Fluorene Phenanthrene Anthracene Fluoranthene Pyrene Benz(a)anthracene Chrysene Benzo(b/j/k)fluoranthene Benzo(a)pyrene Indeno(123,cd)pyrene Dibenzo(ah)anthracene Benzo(ghi)perylene	In-house method TM017S using end over end shaker (PM 008) and GC-MS In-house method TM004S using end over end shake (PM008S) and GC-MS



4225
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Environmental UK Ltd
Issue No: 092 Issue date: 25 July 2025

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
SOILS (cont'd)	<u>Chemical Tests (cont'd)</u> Phenols: Phenol m/p-Cresol o-Cresol Xylenols 2,3,5-Trimethylphenol 2-Isopropylphenol Solvent Extractable Matter Total Organic Carbon Total Carbon Volatile Organic Compounds Chloromethane Chloroethane Trichlorofluoromethane 1,1-Dichloroethene Dichloromethane Trans-1,2-Dichloroethene 1,1-Dichloroethane Cis-1,2-Dichloroethene Bromochloromethane Chloroform 1,1,1-Trichloroethane 1,1-Dichloropropene Carbontetrachloride 1,2-Dichloroethane Benzene Trichloroethene 1,2-Dichloropropane Dibromomethane Bromodichloromethane Toluene 1,1,2-Trichloroethane Tetrachloroethene 1,3-Dichloropropane Dibromochloromethane 1,2-Dibromoethane Chlorobenzene	 In-house method TM026 using sovent extraction (PM021S) and HPLC In-house method TM007S using PM 006S In-house method TM021S using PM 024S In-house method TM015S using PM 010S by headspace GC-MS



4225
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Environmental UK Ltd
Issue No: 092 Issue date: 25 July 2025

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
SOILS (cont'd)	<u>Chemical Tests (cont'd)</u> Volatile Organic Compounds (cont'd) 1,1,1,2-Tetrachloroethane Ethylbenzene m/p Xylene o Xylene Isopropylbenzene 1,1,2,2 Tetrachloroethane 1,2,3-Trichloropropane Propylbenzene 1,3,5-Trimethylbenzene Tert-Butylbenzene 1,2,4-Trimethylbenzene Sec-Butylbenzene 1,4-Dichlorobenzene 1,3-Dichlorobenzene 1,2-Dichlorobenzene MTBE Carbon Disulphide Hexavalent Chromium Semivolatile Organic Compounds: Phenol 2-Chlorophenol N-Nitrodi-n-propylamine Nitrobenzene Isophorone 2,4-Dichlorophenol 1,2,4-Trichlorobenzene Hexachlorobutadiene 2-Methylnaphthalene 2-Chloronaphthalene Dimethylphthalate Dibenzofuran 4-Bromophenyl phenyl ether Phenanthrene Fluoranthene Pyrene	In-house method TM015S using PM 010S by headspace GC-MS In House method TM038 using PM 020S using Aquachem Photometric Analyser In house method TM016S using PM 008 using GCMS analysis



4225
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Environmental UK Ltd
Issue No: 092 Issue date: 25 July 2025

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
SOILS (cont'd)	Poly Chlorinated Dibenzo-p-Dioxins PCDDs 2,3,7,8-TCDD 1,2,3,7,8-PeCDD 1,2,3,4,7,8-HxCDD 1,2,3,6,7,8-HxCDD 1,2,3,7,8,9-HxCDD 1,2,3,4,6,7,8-HpCDD OCDD Poly Chlorinated Dibenzo Furans PCDFs 2,3,7,8-TCDF 1,2,3,7,8-PCDF 2,3,4,7,8-PeCDF 1,2,3,4,7,8-HxCDF 1,2,3,6,7,8-HxCDF 2,3,4,6,7,8-HxCDF 1,2,3,7,8,9-HxCDF 1,2,3,4,6,7,8-HpCDF 1,2,3,4,7,8,9-HpCDF OCDF	Documented In-house methods based on EPA 1613. Extraction followed by High Resolution Gas Chromatography High Resolution Mass Spectrometry (GC-HRMS) Extraction PM139 GC-HRMS TM206 Documented In-house methods based on EPA 1613. Extraction followed by High Resolution Gas Chromatography High Resolution Mass Spectrometry (GC-HRMS) Extraction PM139 GC-HRMS TM206



4225
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Environmental UK Ltd
Issue No: 092 Issue date: 25 July 2025

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
SOILS (cont'd) Leachate preparation (10:1)	<u>Chemical Tests (cont'd)</u> Metals: Aluminium Ammonium Antimony Arsenic Barium Beryllium Boron Cadmium Calcium Chloride Chromium Cobalt Copper Iron Lead Magnesium Manganese Mercury Molybdenum Nickel Nitrite Phosphate Phosphorus Potassium Selenium Sodium Sulphate Vanadium Zinc	PM017S 10:1 leachate preparation based on BS EN 12457



4225
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Environmental UK Ltd
Issue No: 092 Issue date: 25 July 2025

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
WATERS Potable water (tap, non regulatory), Surface water and groundwater	<u>Chemical Tests</u> Volatile Organic Compounds (VOCs): Chloromethane Chloroethane Trichlorofluoromethane 1,1-Dichloroethene Carbon Disulphide Dichloromethane Trans-1,2-Dichloroethene 1,1 - Dichloroethane Cis-1,2-Dichloroethene Bromochloromethane Chloroform 1,1,1-Trichloroethane 1,1-Dichloropropene Carbontetrachloride 1,2-Dichloroethane Benzene Trichloroethene 1,2-Dichloropropane Dibromomethane Bromodichloromethane Toluene 1,1,2-Trichloroethane Tetrachloroethene 1,3,-Dichloropropane Dibromochloromethane 1,2-Dibromoethane Chlorobenzene 1,1,1,2-Tetrachloroethane Ethylbenzene m/p Xylene o Xylene Bromoform Isopropylbenzene Bromobenzene 1,2,3-Trichloropropane Propylbenzene 2-Chlorotoluene 1,3,5-Trimethylbenzene 4-Chlorotoluene Tert-Butylbenzene 1,2,4-Trimethylbenzene Sec-Butylbenzene	In-house method PM010 and TM015W by headspace GC-MS



4225
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Environmental UK Ltd
Issue No: 092 Issue date: 25 July 2025

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
WATERS (cont'd)	<u>Chemical Tests (cont'd)</u>	
Potable water (tap, non regulatory), Surface water and groundwater (cont'd)	Volatile Organic Compounds (VOCs) (cont'd): 4-Isopropyltoluene 1,3- Dichlorobenzene 1,4-Dichlorobenzene n-Butylbenzene 1,2-Dichlorobenzene MTBE Vinyl Chloride	In-house method PM010 and TM015W by headspace GC-MS
Potable water (tap non regulatory), Surface water and groundwater	Volatile Organic Compounds (VOCs): MTBE Chloromethane Vinyl Chloride Bromomethane Chloroethane Trichlorofluoromethane Diethyl Ether 1,1-Dichloroethene Carbon Disulphide Acrylonitrile Trans-1,2-Dichloroethene 1,1 - Dichloroethane Cis-1,2-Dichloroethene Propionitrile Bromochloromethane 1,1,1-Trichloroethane 1-Chlorobutane 1,1-Dichloropropene Carbontetrachloride 1,2-Dichloroethane Benzene Trichloroethene 1,2-Dichloropropane Dibromomethane Toluene Cis-1,3-Dichloropropene Trans-1,3-Dichloropropene 1,1,2-Trichloroethane Tetrachloroethene	In-house method TM 128 using PM 115W by Purge and Trap GC-MS



4225
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Environmental UK Ltd
Issue No: 092 Issue date: 25 July 2025

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
WATERS (cont'd) Potable water (tap non regulatory), Surface water and groundwater (cont'd)	<u>Chemical Tests (cont'd)</u> Volatile Organic Compounds (VOCs) (cont'd): 1,3-Dichloropropane 1,2-Dibromoethane Chlorobenzene 1,1,1,2-Tetrachloroethane Ethylbenzene m/p Xylene o Xylene Bromoform Isopropylbenzene 1,1,2,2 Tetrachloroethane Bromobenzene 1,2,3-Trichloropropane 2-Chlorotoluene 1,3,5-Trimethylbenzene 4-Chlorotoluene Tert-butylbenzene 1,2,4-Trimethylbenzene 1,3-Dichlorobenzene 1,4-Dichlorobenzene 1,2,4-Trichlorobenzene Hexachlorobutadiene Naphthalene 1,2,3-Trichlorobenzene	In-house method TM 128 using PM 115W by Purge and Trap GC-MS



4225
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Environmental UK Ltd
Issue No: 092 Issue date: 25 July 2025

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
WATERS (cont'd) Drinking Water (non-regulatory), Surface water and Ground water	<u>Chemical Tests (cont'd)</u> Determination of Per - and polyfluoroalkyl substances (PFAS), specifically: PFBA PFPeA PFBS PFHxA PFPeS PFHpA naDONA PFHxS PFOA PFHpS PFNA PFOS PFDA 9CI-PF3ONS PFUnA	In-house method TM0135 using SPE preparation (PM122W) and LC-MS/MS
Drinking Water (non regulatory)	Determination of Per - and polyfluoroalkyl substances (PFAS), specifically: HFPO-DA	In-house method TM0135 using SPE preparation (PM122W) and LC-MS/MS.



4225
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Environmental UK Ltd
Issue No: 092 Issue date: 25 July 2025

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
WATERS (cont'd)	<u>Chemical Tests (cont'd)</u>	
Surface Water and groundwater	Phenols Cresols Xylenols	In-house method TM026 using PM 067W, using HPLC
Surface Water and groundwater	Hexavalent Chromium	In house method TM038 using PM 031W, by an Automated photometric Analyser
Surface Water and groundwater	Dissolved Gases: Ethane Ethene Methane	In house method TM025 using GC-TCD-FID
Potable water (non-regulatory), surface water and groundwater	Extractable petroleum hydrocarbons (EPH) including banding: >C10-C12 >C12-C16 >C16-C21 >C21-C35 Total EPH >C10-C40	In-house method TM005 by GC-FID using stir bar extraction (PM030W) and fractionation by RapidTrace workstation PM016
Potable water (non-regulatory), surface water and groundwater	And including aliphatic/aromatic fractionation and subsequent banding Aliphatic: >C10-C12 >C12-C16 >C16-C21 >C21-C35 >C35-C40 Total Aliphatic (>C10-C40) Aromatic (equivalent carbon EC): >C10-C12 >C12-C16 >C16-C21 >C35-C40 Total Aromatic (>C10-C40)	



4225
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Environmental UK Ltd
Issue No: 092 Issue date: 25 July 2025

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
WATERS (cont'd) Potable water (non-regulatory), surface water and groundwater	<u>Chemical Tests (cont'd)</u> Semi-Volatile Organic Compounds (SVOCs): 1,2,4-Trichlorobenzene 1,2-Dichlorobenzene 1,3-Dichlorobenzene 1,4-Dichlorobenzene 2,4,5-Trichlorophenol 2,4-Dichlorophenol 2,4-Dinitrotoluene 2-Chloronaphthalene 2-Chlorophenol 2-Methylnaphthalene 2-Methylphenol 4-Bromophenyl phenyl ether 4-Chloro-3-methylphenol 4-Chlorophenyl phenyl ether Acenaphthene Acenaphthylene Anthracene Azobenzene Benz[a]anthracene Benzo[b/k]fluoranthene Benzo[ghi]perylene Bis(2-Chloroethyl)ether Bis(2-chloroethoxy)methane Carbazole Chrysene Dibenz[a,h]anthracene Dibenzofuran Diethyl phthalate Di-n-Butyl phthalate Fluoranthene Fluorene Hexachlorobenzene Hexachlorobutadiene Hexachloroethane Isophorone Naphthalene Nitrobenzene N-Nitrodi-n-propylamine Phenanthrene Pyrene	In-house method TM016 using stir bar extraction (PM030W) followed by GC-MS analysis



4225
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Environmental UK Ltd
Issue No: 092 Issue date: 25 July 2025

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
WATERS (cont'd)	<u>Chemical Tests (cont'd)</u>	
Drinking water (non regulatory tap water), Groundwater, Surface	Metals:	In house method PM017S based on BS EN 12457 (10:1 leachate preparation) and In house method TM170W using PM014W by ICP-MS
Water (river water), Prepared leachate, Trade effluent	Aluminium Antimony Arsenic Barium Beryllium Boron Cadmium Chromium Cobalt Copper Iron Lead Manganese Mercury Molybdenum Nickel Phosphorous Selenium Tin Vanadium Zinc	
(phosphorus -excluding tap water and trade effluent)		
Surface water, groundwater and leachate from landfill	Extractable petroleum hydrocarbons (EPH) in the range: C8-C40	In-house method TM005 by GC-FID using stir bar extraction (PM030W)
	Alkalinity	In house method TM075 using PM 031W using robotic sample processor
Surface water, groundwater and leachate from landfill (cont'd)	pH	In house method TM073 using PM 031W using robotic sample processor
	Electrical Conductivity at 25 °C	In house method TM076 using PM 031W using robotic sample processor



4225
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Environmental UK Ltd
Issue No: 092 Issue date: 25 July 2025

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
WATERS (cont'd)	<u>Chemical Tests (cont'd)</u> Total Organic Carbon Dissoved Organic Carbon Total Inorganic Carbon Dissolved Inorganic Carbon Total Carbon Biochemical Oxygen Demand (BOD) Biochemical Oxygen Demand (BOD) Polycyclic Aromatic Hydrocarbons (PAHs): Naphthalene Acenaphthene Acenaphthylene Fluorene Phenanthrene Anthracene Fluoranthene Pyrene Benz(a)anthracene Benzo(b/k)fluoranthene Benzo(a)pyrene Indeno(123,cd)pyrene Dibenzo(ah)anthracene Benzo(ghi)perylene Chrysene	 In-house method TM060W by TOC analyser In house method TM058 using DO probe and meter In house method TM058 using Manometric Bottle top sensors In-house method TM004W using stir bar extraction (PM030W) and GC-MS



4225
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Environmental UK Ltd
Issue No: 092 Issue date: 25 July 2025

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
WATERS (cont'd) Surface water, groundwater and leachate from landfill (cont'd)	<u>Chemical Tests (cont'd)</u> Gasoline Range Organics (GRO) and banding: MTBE Benzene Toluene Ethylbenzene o-xylene m/p-xylene Decane Dodecane Naphthalene >C5-C6 >C6-C8 >C5-C8 >C8-C10 >C8-C12	In-house method TM 036W using PM 012W using headspace GC-FID
Surface water, groundwater and leachate from landfill	Gasoline Range Organics (GRO) and banding: Total GRO >C5-C12 Also aliphatic/aromatic fractionation and subsequent banding: Aliphatic: C5-C6 >C6-C8 >C8-C10 Aromatic (equivalent carbon EC) >C5-C7 >C7-C8 >C8-C10	In-house method TM 036W using PM 012W using headspace GC-FID



4225
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Environmental UK Ltd
Issue No: 092 Issue date: 25 July 2025

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
WATERS (cont'd)	<u>Chemical Tests (cont'd)</u>	
Surface water, groundwater, leachate prepared from soils and leachate from landfill	Elements: Aluminium Antimony Arsenic Barium Cadmium Calcium Cobalt Chromium Copper Iron Lead Mercury Magnesium Manganese Molybdenum Nickel Phosphorus Potassium Selenium Sodium Vanadium Zinc	PM017S 10:1 leachate preparation based on BS EN 12457 In-house method TM 030W using PM 014W using ICP-OES
Surface water, groundwater, leachate prepared from soils and leachate from landfill	Mercury Ammonium Chloride Nitrate (derived) Nitrite Phosphate Sulphate Total Solids Total Dissolved Solids Total Suspended Solids	In house method TM061 using PM 031W using CVAFS PM017S 10:1 leachate preparation based on BS EN 12457 In-house method TM038 using PM 031W using discrete analyser In-house method TM020W using PM 031W by Gravimetry In-house method TM037W using PM 031W by Gravimetry



4225
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Environmental UK Ltd
Issue No: 092 Issue date: 25 July 2025

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
WATERS (cont'd) Tap water (non regulatory) surface water, groundwater, leachate prepared from soils and leachate from landfill Surface Water Groundwater Potable Water (non regulatory) Trade Effluent	<u>Chemical Tests (cont'd)</u> Cyanide - Total and Free Poly Chlorinated Dibenzo-p-Dioxins PCDDs 2,3,7,8-TCDD 1,2,3,7,8-PeCDD 1,2,3,4,7,8-HxCDD 1,2,3,6,7,8-HxCDD 1,2,3,7,8,9-HxCDD 1,2,3,4,6,7,8-HpCDD OCDD Poly Chlorinated Dibenzo Furans PCDFs 2,3,7,8-TCDF 1,2,3,7,8-PCDF 2,3,4,7,8-PeCDF 1,2,3,4,7,8-HxCDF 1,2,3,6,7,8-HxCDF 2,3,4,6,7,8-HxCDF 1,2,3,7,8,9-HxCDF 1,2,3,4,6,7,8-HpCDF 1,2,3,4,7,8,9-HpCDF OCDF	In-house method TM089W/S using PM 031W by segmented flow analysis Documented In-house methods based on EPA 1613. Extraction followed by High Resolution Gas Chromatography High Resolution Mass Spectrometry (GC-HRMS) Extraction PM146 GC-HRMS TM215W Documented In-house methods based on EPA 1613. Extraction followed by High Resolution Gas Chromatography High Resolution Mass Spectrometry (GC-HRMS) Extraction PM146 GC-HRMS TM215W



4225
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Environmental UK Ltd
Issue No: 092 Issue date: 25 July 2025

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
WATERS (cont'd) Drinking water (non regulatory), groundwater, surface water and trade effluent	<u>Chemical Tests (cont'd)</u> Polychlorinated Biphenyls (PCBs): PCB 28 PCB 52 PCB 101 PCB 81 PCB 77 PCB 123 PCB 118 PCB 114 PCB 157 PCB 105 PCB 153 PCB 126 PCB 167 PCB 138 PCB 156 PCB 180 PCB 169 PCB 189	PCB Congeners by in house method TM017W using stir bar extraction (PM030W) and GC-MS analysis.
Landfill leachate and leachate prepared from soil	Settled Chemical Oxygen Demand Elements: Boron Beryllium	In-house method TM057W by spectrophotometry PM017S 10:1 leachate preparation based on BS EN 12457 In-house method TM030W using ICP-OES
Surface Water and Ground Water	Tert-Amyl methyl ether (TAME) Diisopropylether(DIPE) Ethyl-tert-butyl ether (ETBE)	In-house method TM083 by preparation method PM 039W and using Headspace GCMS



4225
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Environmental UK Ltd
Issue No: 092 Issue date: 25 July 2025

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
SOILS	<u>Chemical Tests (cont'd)</u> Gasoline Range Organics (GRO) and banding: >C4-C8 >C8-C12 >C5-C6 >C6-C8 >C8-C10 >C10-C12 Total GRO C4-C12 Total GRO C5-C12 MTBE benzene toluene ethylbenzene o-xylene m/p-xylene	Documented In-House Method to meet the requirements of the Environment Agency MCERTS Performance Standard - chemical testing of soil In-house method TM 036S using PM 012S by headspace GC-FID



4225
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Environmental UK Ltd
Issue No: 092 Issue date: 25 July 2025

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
SOILS (cont'd)	<u>Chemical Tests (cont'd)</u> Gasoline Range Organics (GRO) and banding: (cont'd) Also aliphatic/aromatic fractionation and subsequent banding: Aliphatic: >C5-C6 >C6-C8 Aromatic (equivalent carbon EC): >C6-C8 >C8-C10 Extractable petroleum hydrocarbons (EPH) in the range: C8-C40 Diesel range organics (DRO) C25-C40 range organics - lubricating oil Extractable petroleum hydrocarbons (EPH) in the range: >C8-C40, including banding: >C8-C10 >C10-C12 >C12-C16 >C16-C21 >C21-C35 >C8-C10 >C10-C20 >C20-C30 >C30-C40	Documented In-House Method to meet the requirements of the Environment Agency MCERTS Performance Standard - chemical testing of soil (cont'd) In-house method TM 036S using PM 012S by headspace GC-FID (cont'd) In-house methods PM008S (end over end shake) followed by TM005S using GC-FID In house methods PM008S (end over end shake) fractionation by SPE workstation PM016 followed by TM005S using GC-FID



4225
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Environmental UK Ltd
Issue No: 092 Issue date: 25 July 2025

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
SOILS (cont'd)	<u>Chemical Tests (cont'd)</u> Extractable petroleum hydrocarbons (EPH) (cont'd) And including aliphatic/aromatic fractionation and subsequent banding: Aliphatic: >EC10-EC12 >EC12-EC16 >EC16-EC21 Total aliphatics >C10-C40 Aromatic: >EC10-EC12 >EC12-EC16 >EC16-EC21 Total aromatics >C10-C40 Polycyclic Aromatic Hydrocarbons (PAHs): Naphthalene Acenaphthene Fluorene Phenanthrene Fluoranthene Chrysene Benzo(b/k)fluoranthene Indeno(123,cd)pyrene Phenols: Phenol m/p-Cresol o-Cresol Xylenols 2,3,5-Trimethylphenol 2-Isopropylphenol	Documented In-House Method to meet the requirements of the Environment Agency MCERTS Performance Standard - chemical testing of soil (cont'd) In house methods PM008S (end over end shake) fractionation by SPE workstation PM016 followed by TM005S using GC-FID (cont'd) In-house method TM004S using end over end shake (PM008S) and GC-MS In-house method TM026 using solvent extraction (PM021S) and HPLC



4225
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Environmental UK Ltd
Issue No: 092 Issue date: 25 July 2025

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
SOILS (cont'd)	<u>Chemical Tests (cont'd)</u> Elements: Arsenic Barium Cadmium Chromium Cobalt Copper Lead Manganese Mercury Molybdenum Nickel Selenium Zinc Water soluble boron Water Soluble Anions: Chloride Sulphate Cyanide - Total	Documented In-House Method to meet the requirements of the Environment Agency MCERTS Performance Standard - chemical testing of soil (cont'd) In-house method TM030S using PM 015S and PM 077S by ICP-OES In-house method TM074 by PM 015S and PM 077S by ICP-OES In-house method TM038 by PM 020S by discrete analyser In-house method TM089W/S by PM 045S by segmented flow analysis



4225
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Environmental UK Ltd
Issue No: 092 Issue date: 25 July 2025

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
SOILS (cont'd)	<u>Chemical Tests (cont'd)</u> Polychlorinated Biphenyls (PCBs): PCB 81 PCB 77 PCB 123 PCB 118 PCB 114 PCB 105 PCB 126 PCB 167 PCB 156/157 PCB 169 PCB 189 PCB 28 PCB 52 PCB 101 PCB 153 PCB 138 PCB180 pH Total Sulphate Volatile Organic Compounds: MTBE Chloroethane Trichlorofluoromethane 1,1-Dichloroethene 1,1 - Dichloroethane Cis-1,2-Dichloroethene Bromochloromethane Chloroform 1,1,1-Trichloroethane Carbon Tetrachloride 1,2-Dichloroethane Benzene Trichloroethene	Documented In-House Method to meet the requirements of the Environment Agency MCERTS Performance Standard - chemical testing of soil (cont'd) PCB Congeners by in house method TM017S using Preparation method PM008S and GC-MS analysis. In-house method TM073 using PM 011S by Metrohm robotic sample processor In-house method PM029S followed by TM050S using ICP-OES In-house method TM015S by PM 010S by headspace GC-MS



4225
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Environmental UK Ltd
Issue No: 092 Issue date: 25 July 2025

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
SOILS (cont'd)	<u>Chemical Tests (cont'd)</u> Volatile Organic Compounds (cont'd): 1,2-Dichloropropane Dibromomethane Bromodichloromethane Toluene 1,1,2-Trichloroethane 1,3,-Dichloropropane Dibromochloromethane Chlorobenzene 1,1,1,2-Tetrachloroethane Ethylbenzene m/p Xylene o Xylene 1,1,2,2 Tetrachloroethane 1,2,3-Trichloropropane 1,3- Dichlorobenzene 1,2-Dichlorobenzene Semivolatile Organic Compounds Phenol 2-Chlorophenol N-Nitrodi-n-propylamine Nitrobenzene Isophorone 2,4-Dichlorophenol 1,2,4-Trichlorobenzene Hexachlorobutadiene 2-Methylnaphthalene 2-Chloronaphthalene Dimethylphthalate Dibenzofuran 4-Bromophenyl phenyl ether Phenanthrene Fluoranthene Pyrene	Documented In-House Method to meet the requirements of the Environment Agency MCERTS Performance Standard - chemical testing of soil (cont'd) In house method TM016S using PM 008 S by GCMS analysis



4225
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Environmental UK Ltd
Issue No: 092 Issue date: 25 July 2025

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
ATMOSPHERIC POLLUTANTS AND EFFLUENTS – STACK GAS SAMPLES	<u>Chemical Tests</u>	National, European, International and Environment specified standards including MIDs and documented in-house methods to meet the requirements of the Environment Agency (MCERTS) performance standard for laboratories carrying out testing of samples from stack emissions monitoring
Filters, probe and impinger rinses (Acetone, toluene and water), XAD-2 resin traps	Poly Chlorinated Dibenzo-p-Dioxins PCDDs	BS EN 1948-2:2006 and BS EN 1946-3:2006 Extraction followed by High Resolution Gas Chromatography High Resolution Mass Spectrometry (GC-HRMS) Extraction PM137 GCHRMS TM201
	2,3,7,8-TCDD 1,2,3,7,8-PeCDD 1,2,3,4,7,8-HxCDD 1,2,3,6,7,8-HxCDD 1,2,3,7,8,9-HxCDD 1,2,3,4,6,7,8-HpCDD OCDD	
Filters, probe and impinger rinses (Acetone, toluene and water), XAD-2 resin traps	Poly Chlorinated Dibenzo Furans PCDFs	BS EN 1948-2:2006 and BS EN 1946-3:2006 Extraction followed by High Resolution Gas Chromatography High Resolution Mass Spectrometry (GC-HRMS) Extraction PM137 GCHRMS TM201
	2,3,7,8-TCDF 1,2,3,7,8-PCDF 2,3,4,7,8-PeCDF 1,2,3,4,7,8-HxCDF 1,2,3,6,7,8-HxCDF 2,3,4,6,7,8-HxCDF 1,2,3,7,8,9-HxCDF 1,2,3,4,6,7,8-HpCDF 1,2,3,4,7,8,9-HpCDF OCDF	




4225
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Environmental UK Ltd
Issue No: 092 Issue date: 25 July 2025

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
ATMOSPHERIC POLLUTANTS AND EFFLUENTS – STACK GAS SAMPLES (Cont'd)	<u>Chemical Tests (Cont'd)</u>	National, European, International and Environment specified standards including MIDs and documented in-house methods to meet the requirements of the Environment Agency (MCERTS) performance standard for laboratories carrying out testing of samples from stack emissions monitoring
Filters, probe and impinger rinses (Acetone, toluene and water), XAD-2 resin traps	Polychlorinated Biphenyls PCB	BS EN 1948-4:2010+A1:2013 Extraction followed by High Resolution Gas Chromatography High Resolution Mass Spectrometry (GC-HRMS) Extraction PM137 GCHRMS TM201
ASH	Congener 77 Congener 81 Congener 105 Congener 114 Congener 118 Congener 123 Congener 126 Congener 156 Congener 157 Congener 167 Congener 169 Congener 189 Poly Chlorinated Dibenzo-p-Dioxins PCDDs 2,3,7,8-TCDD 1,2,3,7,8-PeCDD 1,2,3,4,7,8-HxCDD 1,2,3,6,7,8-HxCDD 1,2,3,7,8,9-HxCDD 1,2,3,4,6,7,8-HpCDD OCDD	Documented In-house methods based on EPA 1613. Extraction followed by High Resolution Gas Chromatography High Resolution Mass Spectrometry (GC-HRMS) Extraction PM139 GC-HRMS TM206



Element Materials Technology Environmental UK Ltd
Issue No: 092 Issue date: 25 July 2025

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
ATMOSPHERIC POLLUTANTS AND EFFLUENTS – STACK GAS SAMPLES (Cont'd)	<u>Chemical Tests (Cont'd)</u>	
ASH	Poly Chlorinated Dibenzo Furans PCDFs 2,3,7,8-TCDF 1,2,3,7,8-PCDF 2,3,4,7,8-PeCDF 1,2,3,4,7,8-HxCDF 1,2,3,6,7,8-HxCDF 2,3,4,6,7,8-HxCDF 1,2,3,7,8,9-HxCDF 1,2,3,4,6,7,8-HpCDF 1,2,3,4,7,8,9-HpCDF OCDF Polychlorinated Biphenyls PCB Congener 77 Congener 81 Congener 105 Congener 114 Congener 118 Congener 123 Congener 126 Congener 156 Congener 157 Congener 167 Congener 169 Congener 189	Documented In-house methods based on EPA 1613. Extraction followed by High Resolution Gas Chromatography High Resolution Mass Spectrometry (GC-HRMS) Extraction PM139 GC-HRMS TM206 Documented In-house methods based on EPA 1668. Extraction followed by High Resolution Gas Chromatography High Resolution Mass Spectrometry (GC-HRMS) Extraction PM139 GC-HRMS TM206
END		